

Havells -;

Better light. Better life.

AUTHORISED CHANNEL PARTNER P.P.ELEKTRO POWER 9,Parsee Church Street, Kolkata-1 Contact No: 8017165859 / 9830275399

PROFESSIONAL LUMINAIRES INDUSTRIAL / INSTITUTIONAL



Lighting with Innovation at Havells

At Havells, we believe light is the fourth dimension of architecture. It can guide and direct. It can also enhance and show objects in its dynamic and marvelous self.

We understand every space needs lighting that is tailor-made for it, enhances it and brings everything to life; and it is this property that has been the hallmark in every product that comes out of our factory.

Our luminaires are not merely tools of illumination but the torchbearers of a new era in lighting. They stand testimony to our strength in manufacturing, from OPTO electronics to LED technology and integrating them in our state-of-the-art plants.

Our customers can rely on every aspect of safety, performance and reliability from our products.

And now we present our latest offerings, designed taking into consideration the feedback received from clients, customers and designers alike:

Office Lighting: Paradigms have been redefined with the advent of open plan offices. We are proud to present our range of lighting products for a brighter and more productive office space.

Street Lights: Smart cities evolving in India demand Next-Gen lighting. Havells street lighting range encompasses all the features that are needed for a more efficient lighting system.

Landscape Lighting: The Havells range of landscape lighting products have been revamped and new products introduced, to keep in sync with market dynamics and needs.

Industrial Lighting: The 'Make in India' initiative has given rise to a new set of high-tech industries all over India. The Havells industrial lighting range aims to provide a wide range of lighting solutions to new and existing industries.

Retail Lighting: Retail shopping is all about experience. With Havells retail lighting, deliver new and exciting experiences to customers..

Solar Lighting: Ambitious solar growth in India demands light fittings that are rugged, durable and in tune with latest industry standards. Our range of solar lighting goes a step ahead. People and the environmental footprint are central to our approach and form the basis of our sustainable policy.

Colorscape (Architectural RGB Lighting): Beautiful aesthetics not only make a place beautiful but also helps to lift the mood. Havells Colrscape RGB Lighting solutions lighting up public spaces and structures for improving their visual quality at night & transforming gloomy spots to a cheerful, inviting and secure places.

Impressions (Architectural Indoor Lighting): As workplace design becomes important for employers, Havells Impressions Range opens up fluid possibilities for architects and designers alike. Impressions Architectural Lighting solutions that offer more comfort, low glare, international styling, better aesthetics and best suitable for architectural designs.

Smart Solutions:

- human centric lighting Work under the shades of nature and watch your efficiency levels rise!
 Tailor light to work in harmony with your natural rhythm
- Connected Lighting for Indoor Spaces- A digital ecosystem that connects lighting & IoT technology. Today's workspaces are a maze, navigating technology and efficiency. As offices become more productive, responsive, efficient and human centric, they demand solutions that offer both flexibility and cost-effectiveness. With Havells Connected Lighting for Smart & Intelligent office solutions, that is unmatched.
- Connected Lighting for outdoor Spaces Havells innovations now enable all outdoor lighting
 products and luminaires connected with each other. Real time data mapping and controlling as per
 requirement. A perfect solutions for a smart city
- Automation & sensor enabled solutions Havells Connected lighting also offers Day light harvesting, occupancy and motion sensing via in-built sensor based designs for making buildings more efficient.

We combine our innovation and extensive experience to create lighting solutions that makes people feel good not only visually but also emotionally.









盲


Introduction of Plant







CERTIFICATION



Havells lighting plant in Neemrana is spread over 30 acres of land with over 2,00,000 square feet of working space under a single roof. The plant has been made keeping in mind the global markets of Europe, US and the Middle East. Setting new benchmarks in the industry, this Havells plant will help bridge the technological divide between Europe and India when it comes to manufacturing high-end lighting luminaries.

Japanese flexible CNC controlled steel fabrication process for the accuracy in sheet punching & bending Italian robotised box bending machines to design complex enclosure shapes without human intervention Automated powder coating paint shop to minimize wastage & fast colour change Eco-friendly zero discharge plant Parabolic rolling machine for replicating complex and accurate forms and shapes Flexible assembly line Modern laboratories.

INDEX

PROFESSIONAL LUMINAIRES (INDUSTRIAL / INSTITUTIONAL)



Indoor Architectural LED Luminaires Impressions Range



Indoor Commercial LED Luminaires

| Architectural Range | 20-22 |
|---------------------|-------|
| Batten | 23-24 |
| Retrofit Lamps | 25-26 |
| Panel Lighting | 27-29 |
| Downlight | 30-37 |
| Dimmable Luminaires | 38-39 |

INDEX

PROFESSIONAL LUMINAIRES (INDUSTRIAL / INSTITUTIONAL)



Industrial LED Luminaires

| Weather Proof / Well Glass | 42 |
|-------------------------------|-------|
| Well Glass / Highbay Lighting | 43-45 |
| Clean Room Lights | 46-49 |




Outdoor LED Luminaires


| Street Lights | 52-53 |
|-------------------------------|-------|
| Canopy Fixture / Flood Lights | 54-55 |
| Landscape Lights | 56-61 |
| Colorscape Lights | 62-65 |
| Solar Street Lights/Mini Mast | 66-67 |


PRODUCT CODE



NOMENCLATURE







Indoor Architectural LED Luminaires

Impressions Range by Havells offers an array of ambient and task lighting options that encourage creative freedom and also facilitates a comfortable work environment. Choose from a variety of suspended and floor standing office luminaires offering- ultimate glare comfort measuring UGR as low as 6, special micro reflector optics to meet LEED and WELL building standards, on board occupancy sensor/ photo sensor/ dimming control, separate control of direct and indirect light thus offering a perfect combo of task and ambient lighting, compatibility with DALI/ 0-10V/ POE/ wireless standards, color tunability improving circadian rhythm and breathtaking aesthetics. It's a comprehensive lighting solution with options that complement your office interiors and create an ambience that spells increased productivity and happiness.

Indoor Architectural LED Luminaires

IMPRESSIONS

CRESCENT LED

The CRESCENT LED's curved suspended design is a vision of refined beauty and gracefully blends with the architectural elements of any room. With its signature feature, the half-moon shape, this timeless luminaire offers elegant low-glare direct lighting and offers wider light distribution allowing greater uniformity on work planes. Introduce this eye-candy into contemporary spaces and create delight under its soft, direct light.

| Item Description | HSN Code | List Price in ₹ Per Unit | Case Lot No. of unit/s |
|---|-------------|-----------------------------|---------------------------|
| CRESCENTLP36WLED840SPCGRY | 9405 | 18500.00 | 4 N |
| CRESCENTLP36WLED857SPCGRY | 9405 | 18500.00 | 4 N |
| Fixture size: (LxWxH) in (1200x150x66) mm | | | |

MIRAGE PW LED

A series of slim LED profiles that stand out for their near to invisible light source and neat aesthetics. Designed to create virtually endless uninterrupted lines of light with extremely low UGR levels. The Mirage range features special micro reflector optics comprising minimalistic and highly efficient design with efficacy up to 110 lm/W, Mirage PW is a great choice for commercial office spaces, schools, libraries and other interior spaces.

| Item Description | HSN Code | List Price in ₹ Per Unit | Case Lot No. of unit/s |
|---|-------------|-----------------------------|---------------------------|
| MIRAGEWDILP30WLED840SGRY | 9405 | 31500.00 | 4 N |
| MIRAGEWDILP30WLED857SGRY | 9405 | 31500.00 | 4 N |
| MIRAGEWDILP43WLED840SGRY | 9405 | 32500.00 | 4 N |
| MIRAGEWDILP43WLED857SGRY | 9405 | 32500.00 | 4 N |
| File and a (L_) N/ LI) is (1100, 100, 00) and | | | |

Fixture size: (LxWxH) in (1190x160x30) mm

MIRAGE PS D LED

A series of slim LED profiles that stand out for their near to invisible light source and neat aesthetics. Designed to create virtually endless uninterrupted lines of light with extremely low UGR levels. The Mirage range features special micro reflector optics comprising minimalistic and highly efficient design with efficacy up to 100 lm/W, Mirage PS D is a great choice for commercial office spaces, schools, libraries and other interior spaces.

| Item Description | HSN Code | List Price in ₹ Per Unit | Case Lot No. of unit/s |
|--|-------------|-----------------------------|---------------------------|
| MIRAGESDLP15WLED840SGRY | 9405 | 21500.00 | 8 N |
| MIRAGESDLP15WLED857SGRY | 9405 | 21500.00 | 8 N |
| MIRAGESDLP25WLED840SGRY | 9405 | 22500.00 | 8 N |
| MIRAGESDLP25WLED857SGRY | 9405 | 22500.00 | 8 N |
| MIRAGESDLP30WLED840SGRY | 9405 | 22500.00 | 8 N |
| MIRAGESDLP30WLED857SGRY | 9405 | 22500.00 | 8 N |
| MIRAGESDLP40WLED840SGRY | 9405 | 23500.00 | 8 N |
| MIRAGESDLP40WLED857SGRY | 9405 | 23500.00 | 8 N |
| Fixture size: (LxWxH) in (1175x38x66) mm | | | |

C

MIRAGE PS DI LED

A series of slim LED profiles that stand out for their near to invisible light source and neat aesthetics. Designed to create virtually endless uninterrupted lines of light with extremely low UGR levels. The Mirage range features special micro reflector optics comprising minimalistic and highly efficient design with efficacy up to 110 lm/W, Mirage PS DI is a great choice for commercial office spaces, schools, libraries and other interior spaces.

| Item Description | HSN Code | List Price in ₹ Per Unit | Case Lot No. of unit/s |
|--|-------------|-----------------------------|---------------------------|
| MIRAGESDILP25WLED840SGRY | 9405 | 25500.00 | 8 N |
| MIRAGESDILP25WLED857SGRY | 9405 | 25500.00 | 8 N |
| MIRAGESDILP30WLED840SGRY | 9405 | 25500.00 | 8 N |
| MIRAGESDILP30WLED857SGRY | 9405 | 25500.00 | 8 N |
| MIRAGESDILP40WLED840SGRY | 9405 | 26500.00 | 8 N |
| MIRAGESDILP40WLED857SGRY | 9405 | 26500.00 | 8 N |
| Fixture size: (LxWxH) in (1175x38x66) mm | | | |







IMPRESSIONS

TORUS

In a sector commanded by rectangular luminaires, this circular luminaire impresses with an effective height of 70 mm and produces diffused planar and low-glare light. The annular shape further gives the luminaire a sturdy appearance marking entreating attraction.

| Item Description | HSN Code | List Price in ₹ Per Unit | Case Lot No. of unit/s |
|--|-------------|-----------------------------|---------------------------|
| TORUS600RDP/S25WLED830SPMMAWH | 9405 | 16500.00 | 4 N |
| TORUS600RDP/S25WLED840SPMMAWH | 9405 | 16500.00 | 4 N |
| TORUS600RDP/S25WLED857SPMMAWH | 9405 | 16500.00 | 4 N |
| MONDOMOUNTINGKITP | 9405 | 550.00 | 25 N |
| MONDOMOUNTINGKITS | 9405 | 625.00 | 25 N |
| Fixture size: Dia 600 mm, Height 78 mm | | | |

Hixture size: Dia 600 mm, Height 78 mm Mounting Kits to be ordered separately



MONDO

Energy saving, environmental friendly, long life, decorative, corrosion resistant, surface-suspended luminaires with annular shape and opal diffuser contributing towards impudent identity and delivers an aesthetically appealing.

| Item Description | HSN Code | List Price in ₹ Per Unit | Case Lot No. of unit/s |
|-----------------------------|-------------|-----------------------------|---------------------------|
| MONDO400RDP/S25WLED830SPSWH | 9405 | 7950.00 | 4 N |
| MONDO400RDP/S25WLED840SPSWH | 9405 | 7950.00 | 4 N |
| MONDO400RDP/S25WLED857SPSWH | 9405 | 7950.00 | 4 N |
| MONDO600RDP/S36WLED830SPSWH | 9405 | 13950.00 | 2 N |
| MONDO600RDP/S36WLED840SPSWH | 9405 | 13950.00 | 2 N |
| MONDO600RDP/S36WLED857SPSWH | 9405 | 13950.00 | 2 N |
| MONDOMOUNTINGKITP | 9405 | 550.00 | 25 N |
| MONDOMOUNTINGKITS | 9405 | 625.00 | 25 N |

Fixture size: Dia 400 mm, Height 70 mm for (400 mm), Dia 600 mm, Height 70 mm for (600 mm) Mounting Kits to be ordered separately

CONTOUR 2X2

A precisely designed decorative PMMA diffuser 2x2 panel light that unites a creative design with state-ofthe-art LED technology. The concept of protruded decorative diffusers achieves a great sense of novelty and flexibility with multiple diffuser designs while offering perfect illumination and greater uniformity. This design stands out stunningly among the boring old modular ceiling patterns.

| Item Description | HSN Code | List Price in ₹ Per Unit | Case Lot No. of unit/s |
|--|-------------|-----------------------------|---------------------------|
| CONTOUR2X2PLR24WLED840S | 9405 | 6990.00 | 2 N |
| CONTOUR2X2PLR24WLED857S | 9405 | 6990.00 | 2 N |
| CONTOUR2X2PLR28WLED840S | 9405 | 6990.00 | 2 N |
| CONTOUR2X2PLR28WLED857S | 9405 | 6990.00 | 2 N |
| CONTOUR2X2PLR34WLED840S | 9405 | 6990.00 | 2 N |
| CONTOUR2X2PLR34WLED857S | 9405 | 6990.00 | 2 N |
| CONTOUR2X2PLR36WLED840S | 9405 | 6990.00 | 2 N |
| CONTOUR2X2PLR36WLED857S | 9405 | 6990.00 | 2 N |
| Fixture size: (LxWxH) in (595x595x86) mm | | | |



Indoor Architectural LED Luminaires

IMPRESSIONS

QUADRO 2X2

A precisely designed decorative PMMA diffuser 2x2 panel light that unites a creative design with state-ofthe-art LED technology. The concept of protruded decorative diffusers achieves a great sense of novelty and flexibility with multiple diffuser designs while offering perfect illumination and greater uniformity. This design stands out stunningly among the boring old modular ceiling patterns.

| Item Description | HSN Code | List Price in ₹ Per Unit | Case Lot No. of unit/s |
|--|-------------|-----------------------------|---------------------------|
| QUADRO2X2PLR24WLED840S | 9405 | 6990.00 | 2 N |
| QUADRO2X2PLR24WLED857S | 9405 | 6990.00 | 2 N |
| QUADRO2X2PLR28WLED840S | 9405 | 6990.00 | 2 N |
| QUADRO2X2PLR28WLED857S | 9405 | 6990.00 | 2 N |
| QUADRO2X2PLR34WLED840S | 9405 | 6990.00 | 2 N |
| QUADRO2X2PLR34WLED857S | 9405 | 6990.00 | 2 N |
| QUADRO2X2PLR36WLED840S | 9405 | 6990.00 | 2 N |
| QUADRO2X2PLR36WLED857S | 9405 | 6990.00 | 2 N |
| Fixture size: (LxWxH) in (595x595x88) mm | | | |

PETAL 2X2

A precisely designed decorative PMMA diffuser 2x2 panel light that unites a creative design with state-ofthe-art LED technology. The concept of protruded decorative diffusers achieves a great sense of novelty and flexibility with multiple diffuser designs while offering perfect illumination and greater uniformity. This design stands out stunningly among the boring old modular ceiling patterns.

| Item Description | HSN Code | List Price in ₹ Per Unit | Case Lot No. of unit/s |
|--|-------------|-----------------------------|---------------------------|
| PETAL2X2PLR24WLED840S | 9405 | 6990.00 | 2 N |
| PETAL2X2PLR24WLED857S | 9405 | 6990.00 | 2 N |
| PETAL2X2PLR28WLED840S | 9405 | 6990.00 | 2 N |
| PETAL2X2PLR28WLED857S | 9405 | 6990.00 | 2 N |
| PETAL2X2PLR34WLED840S | 9405 | 6990.00 | 2 N |
| PETAL2X2PLR34WLED857S | 9405 | 6990.00 | 2 N |
| PETAL2X2PLR36WLED840S | 9405 | 6990.00 | 2 N |
| PETAL2X2PLR36WLED857S | 9405 | 6990.00 | 2 N |
| Eixture cize: $(I_X)(XH)$ in (505x505x78) mm | | | |

Fixture size: (LxWxH) in (595x595x78) mm

FLAT 2X2

A precisely designed decorative PMMA diffuser 2x2 panel light that unites a creative design with state-ofthe-art LED technology. The concept of protruded decorative diffusers achieves a great sense of novelty and flexibility with multiple diffuser designs while offering perfect illumination and greater uniformity. This design stands out stunningly among the boring old modular ceiling patterns.

| Item Description | HSN Code | List Price in ₹ Per Unit | Case Lot No. of unit/s |
|--|-------------|-----------------------------|---------------------------|
| DROPDOWNFLAT2X2PLR24WLED840S | 9405 | 6990.00 | 2 N |
| DROPDOWNFLAT2X2PLR24WLED857S | 9405 | 6990.00 | 2 N |
| DROPDOWNFLAT2X2PLR28WLED840S | 9405 | 6990.00 | 2 N |
| DROPDOWNFLAT2X2PLR28WLED857S | 9405 | 6990.00 | 2 N |
| DROPDOWNFLAT2X2PLR34WLED840S | 9405 | 6990.00 | 2 N |
| DROPDOWNFLAT2X2PLR34WLED857S | 9405 | 6990.00 | 2 N |
| DROPDOWNFLAT2X2PLR36WLED840S | 9405 | 6990.00 | 2 N |
| DROPDOWNFLAT2X2PLR36WLED857S | 9405 | 6990.00 | 2 N |
| Fixture size: (LxWxH) in (595x595x70) mm | | | |







IMPRESSIONS

VENUS NEO HE (UGR<19 PANEL LIGHT)

The Venus Neo HE UGR<19 is a range of low-glare LED recessed panels with UGR<19 and compliance to EN-12464-1. The product features special glare cut optics to ensure low luminaire luminance and is perfect for general and office lighting applications such as workstations, meeting rooms and cabins, corridors and break areas.

| Item Description | HSN Code | List Price in ₹ Per Unit | Case Lot No. of unit/s |
|--|-------------|-----------------------------|---------------------------|
| VENUSNEOHE2X2R18-42WLED840MODUGR<19 | 9405 | 3750.00 | 2 N |
| VENUSNEOHE2X2R18-42WLED857MODUGR<19 | 9405 | 3750.00 | 2 N |
| LEDDRIVER36V18WS | 9405 | 685.00 | 20 N |
| LEDDRIVER36V24WS | 9405 | 750.00 | 20 N |
| LEDDRIVER36V28WS | 9405 | 750.00 | 20 N |
| LEDDRIVER36V34WS | 9405 | 770.00 | 20 N |
| LEDDRIVER36V1A42WS | 9405 | 850.00 | 50 N |
| Fixture size: (LxWxH) in (595x595x65) mm | | | |

Fixture size: (LxWxH) in (595x595x65) mm ORDERING : MODULE + DRIVER (DRIVER TO BE ORDERED SEPARATELY) Driver packed separately

VENUS NEO HE 42 W SMART PLUS

The Venus Neo HE Smart Plus is a range of LED recessed panels comprising of inbuilt occupancy with photo sensor. The product has a self-learning feature for auto programming and is perfect for general and office lighting applications such as workstations, meeting rooms and cabins, corridors and break areas.

| Item Description | HSN Code | List Price in ₹ Per Unit | Case Lot No. of unit/s |
|--|-------------|-----------------------------|---------------------------|
| VENUSNEOHE2X2R42WLED840SMARTPLUS | 9405 | 9900.00 | 1 N |
| VENUSNEOHE2X2R42WLED857SMARTPLUS | 9405 | 9900.00 | 1 N |
| Fixture size: (LxWxH) in (595x595x65) mm | | | |

Fixture size: (LxWxH) in (595x595x65) mm

VENUS NEO HE PIR

The Venus Neo HE PIR is a range of LED recessed panels with inbuilt occupancy sensor. The product has inbuilt capability of switching on/off basis the occupancy in any space and is perfect for general and office lighting applications such as workstations, meeting rooms and cabins, corridors and break areas.

| Item Description | HSN Code | List Price in ₹ Per Unit | Case Lot No. of unit/s |
|--|-------------|-----------------------------|---------------------------|
| VENUSNEOHE2X2R18WLED840PIRSENSOR | 9405 | 4500.00 | 2 N |
| VENUSNEOHE2X2R18WLED857PIRSENSOR | 9405 | 4500.00 | 2 N |
| VENUSNEOHE2X2R20WLED840PIRSENSOR | 9405 | 4500.00 | 2 N |
| VENUSNEOHE2X2R20WLED857PIRSENSOR | 9405 | 4500.00 | 2 N |
| VENUSNEOHE2X2R24WLED840PIRSENSOR | 9405 | 4500.00 | 2 N |
| VENUSNEOHE2X2R24WLED857PIRSENSOR | 9405 | 4500.00 | 2 N |
| VENUSNEOHE2X2R28WLED840PIRSENSOR | 9405 | 4600.00 | 2 N |
| VENUSNEOHE2X2R28WLED857PIRSENSOR | 9405 | 4600.00 | 2 N |
| VENUSNEOHE2X2R34WLED840PIRSENSOR | 9405 | 4600.00 | 2 N |
| VENUSNEOHE2X2R34WLED857PIRSENSOR | 9405 | 4600.00 | 2 N |
| VENUSNEOHE2X2R36WLED840PIRSENSOR | 9405 | 4600.00 | 2 N |
| VENUSNEOHE2X2R36WLED857PIRSENSOR | 9405 | 4600.00 | 2 N |
| Fixture size: (LxWxH) in (595x595x65) mm | | | |







Indoor Architectural LED Luminaires

IMPRESSIONS

VENUS NEO TUNABLE WHITE

The Venus Neo tunable white is a range of color tunable LED recessed panels that support "Human Centric Lighting". The product features color tuning from 3000 K to 6500 K with precise control on tuning and dimming and is perfect for applications such as office workstations, meeting rooms and cabins, hospitals, classrooms etc.

| Item Description | HSN Code | List Price in ₹ Per Unit | Case Lot No. of unit/s |
|---------------------------------|-------------|-----------------------------|---------------------------|
| VENUSNEOTW2X2PLR42WLEDTWMOD | 9405 | 4125.00 | 2 N |
| LEDDRIVERCOMBO-TW-30V1A-ANA-DIM | 9405 | 4600.00 | 1 N |
| BLUETOOTH1-10VCONV42W | 9405 | 3200.00 | 1 N |
| DRAC0850RFCOMP2CH | 9405 | 5000.00 | 1 N |
| RFREMOTETWCONTROL | 9405 | 950.00 | 1 N |
| | | | |

Fixture size: (LxWxH) in (595x595x65) mm

Ordering: For Bluetooth (LEDDRIVERCOMBO-TW-30V1A-ANA-DIM + BLUETOOTH1-10VCONV42W) For RF: (DRACO 850 RF Comp-2Ch + RF REMOTER TW CONTROL)

Driver/Controller packed separately

MIRAGE F LED

Mirage F is a freestanding luminaire designed to suit to your individual requirements at the workplace. It features a choice of freestanding or table clamped unit with near to invisible light source and clean-cut aesthetics. This product features special micro reflector optics with minimalistic and highly efficient design meeting the requirements of uniform illumination of individual work planes/ cabins. Mirage F also features specially developed touch control panel for individual on/off, dimming and color tuning thus making 'Human Centric Lighting' accessible to all users with efficacy up to 110 lm/W. Mirage F is a great choice for private offices, high-end cabins and individual workstations.

| Item Description | HSN Code | List Price in ₹ Per Unit | Case Lot No. of unit/s |
|---------------------------------------|-------------|-----------------------------|---------------------------|
| MIRAGEDILFS80WLED80CGRY | 9405 | 135000.00 | 1 N |
| Fixture size: (WxH) in (1056x1950) mm | | | |











Indoor lighting is an art. Havells understands human centric lighting which improves well-being and increases productivity. Hallmark of every luminaires shipped from Havells factory is a silent whisper of creativity and technology at its best.

ARCHITECTURAL RANGE

DESTELLO SUSPENDED

Uniquely clean & simple lighting system offering continuous, uniform lines of light across ceilings. The aluminium extruded suspended light gives continuous lines of light distribution with the possibility of various shapes (suspension system included).

| Item Description | HSN Code | List Price in ₹ Per Unit | Case Lot No. of unit/s |
|---|-------------|-----------------------------|---------------------------|
| DESTELLO50LP/S25WLED840SPMMAWH | 9405 | 6650.00 | 4 N |
| DESTELLO50LP/S25WLED857SPMMAWH | 9405 | 6650.00 | 4 N |
| DESTELLO50LP/S36WLED840SPMMAWH | 9405 | 7250.00 | 4 N |
| DESTELLO50LP/S36WLED857SPMMAWH | 9405 | 7250.00 | 4 N |
| DESTELLO70LP/S25WLED840SPMMAWH | 9405 | 7650.00 | 4 N |
| DESTELLO70LP/S25WLED857SPMMAWH | 9405 | 7650.00 | 4 N |
| DESTELLO70LP/S36WLED840SPMMAWH | 9405 | 8250.00 | 4 N |
| DESTELLO70LP/S36WLED857SPMMAWH | 9405 | 8250.00 | 4 N |
| 3COREMAINSCABLE1.5MTRWH | 9405 | 300.00 | 50 N |
| JOININGKITFORDESTELLO50P/S/DI | 9405 | 200.00 | 25 N |
| JOININGKITFORDESTELLO70P/S | 9405 | 200.00 | 25 N |
| Fixture size: (LxWxH) in (1137x53x76) mm for (50 mm), (1137x73x86) mm for (70 mm) | | | |

Joining kit and Mains cable to be ordered separately

Also available in 570 mm and 2255 mm length - refer TDS for ordering codes

DESTELLO RECESSED

Uniquely clean & simple lighting system offering continuous, uniform lines of light across ceilings. The aluminium extruded recessed light meant for POP/Gypsum ceilings gives continuous lines of light distribution with the possibility of various shapes (recess mounting clamps included).

| Item Description | HSN Code | List Price in ₹ Per Unit | Case Lot No. of unit/s |
|------------------------------|-------------|-----------------------------|---------------------------|
| DESTELLO50LR25WLED840SPMMAWH | 9405 | 6650.00 | 4 N |
| DESTELLO50LR25WLED857SPMMAWH | 9405 | 6650.00 | 4 N |
| DESTELLO50LR36WLED840SPMMAWH | 9405 | 7250.00 | 4 N |
| DESTELLO50LR36WLED857SPMMAWH | 9405 | 7250.00 | 4 N |
| DESTELLO70LR25WLED840SPMMAWH | 9405 | 7650.00 | 4 N |
| DESTELLO70LR25WLED857SPMMAWH | 9405 | 7650.00 | 4 N |
| DESTELLO70LR36WLED840SPMMAWH | 9405 | 8250.00 | 4 N |
| DESTELLO70LR36WLED857SPMMAWH | 9405 | 8250.00 | 4 N |
| 3COREMAINSCABLE1.5MTRWH | 9405 | 300.00 | 50 N |
| JOININGKITFORDESTELLO50/70R | 9405 | 200.00 | 25 N |

Fixture size: (LxWxH) in (1148x67x73) mm for (50 mm), (1148x89x86) mm for (70 mm) Joining kit and Mains cable to be ordered separately

Also available in 570 mm and 2255 mm length - refer TDS for ordering codes

DESTELLO SUSPENDED DIRECT-INDIRECT


Uniquely clean & simple lighting system offering, uniform lines of light across ceilings. The aluminum extruded direct-indirect light effect gives homogenous light distribution effect & enhances the visual comfort (suspension system included).

| Item Description | HSN Code | List Price in ₹ Per Unit | Case Lot No. of unit/s |
|--|-------------|-----------------------------|---------------------------|
| DESTELLODILP36WLED840SPMMAWH | 9405 | 8650.00 | 4 N |
| DESTELLODILP36WLED857SPMMAWH | 9405 | 8650.00 | 4 N |
| 3COREMAINSCABLE1.5MTRWH | 9405 | 300.00 | 50 N |
| JOININGKITFORDESTELLO50P/S/DI | 9405 | 200.00 | 25 N |
| Eixture eizer $(1x)\Lambda(xH)$ in $(1126xE4x74)$ mm | | | |

Fixture size: (LxWxH) in (1136x54x74) mm Joining kit and Mains cable to be ordered separately







ARCHITECTURAL RANGE

SABER

SABER LED merges classic styling with cutting edge technology to provide quality illumination and superior optical control. Use of direct/ indirect LED light engines makes it excellent choice for low height ceiling applications and areas where ceiling uniformity and indirect lighting is important (suspension system included).

| Item Description | HSN Code | List Price in ₹ Per Unit | Case Lot No. of unit/s |
|-------------------------|-------------|-----------------------------|---------------------------|
| SABERLP36WLED840SPMMAWH | 9405 | 10950.00 | 2 N |
| SABERLP36WLED857SPMMAWH | 9405 | 10950.00 | 2 N |
| 3COREMAINSCABLE1.5MTRWH | 9405 | 300.00 | 50 N |
| JOININGKITFORSABER | 9405 | 275.00 | 25 N |
| | | | |

Fixture size: (LxWxH) in (1283x163x46) mm Joining kit and Mains cable to be ordered separately



LICON LED merges classic styling with cutting edge technology to provide quality illumination and superior optical control. Use of direct/ indirect LED light engines makes it excellent choice for low height ceiling applications and areas where ceiling uniformity and indirect lighting is important (secondary suspension kit included).

| Item Description | HSN Code | List Price in ₹ Per Unit | Case Lot No. of unit/s |
|---|-------------|-----------------------------|---------------------------|
| LICONLP36WLED840SPCGRY | 9405 | 8650.00 | 1 N |
| LICONLP36WLED857SPCGRY | 9405 | 8650.00 | 1 N |
| LICONSUSKITWITHMAINSCABLE | 9405 | 375.00 | 1 N |
| Fixture size: (LxWxH) in (1206x170x40) mm | | | |

Primary suspension kit with mains cable to be ordered separately

TECHZONE

Uniquely clean & simple lighting system offering continuous light for Armstrong Techzone ceiling system. The minimal design offers outstanding visual comfort with end to end seamless integration

| Item Description | HSN Code | List Price in ₹ Per Unit | Case Lot No. of unit/s |
|------------------------|-------------|-----------------------------|---------------------------|
| TZLR25WLED840SPSWH1195 | 9405 | 6350.00 | 2 N |
| TZLR25WLED857SPSWH1195 | 9405 | 6350.00 | 2 N |
| TZLR36WLED840SPSWH1195 | 9405 | 6450.00 | 2 N |
| TZLR36WLED857SPSWH1195 | 9405 | 6450.00 | 2 N |
| TZLR48WLED840SPSWH1195 | 9405 | 6650.00 | 2 N |
| TZLR48WLED857SPSWH1195 | 9405 | 6650.00 | 2 N |
| JOININGKITTZ | 9405 | 177.00 | 50 N |
| SUSPENSIONKITTZ | 9405 | 300.00 | 25 N |
| | | | |



Fixture size: (LxWxH) in (1195x145x65) mm

WINGO

Specially designed direct-indirect transparent optical system which provides sufficient light levels on work plane and at the same time illuminating the ceiling with a harmonious and pleasant appearance.

| Item Description | HSN Code | List Price in ₹ Per Unit | Case Lot No. of unit/s |
|---|-------------|-----------------------------|---------------------------|
| WINGOLP40WLED830SPMMABLK | 9405 | 13500.00 | 1 N |
| WINGOLP40WLED840SPMMABLK | 9405 | 13500.00 | 1 N |
| WINGOLP40WLED857SPMMABLK | 9405 | 13500.00 | 1 N |
| Fixture size: (LxWxH) in (1112x280x48) mm | | | |








ARCHITECTURAL RANGE

CONSTA LED

Suspended architectural LED luminaire provides soft-light and glare free symmetrical illumination (with continuous mounting end cap).

| Item Description | HSN Code | List Price in ₹ Per Unit | Case Lot No. of unit/s |
|---|-------------|-----------------------------|---------------------------|
| CONSTA544LP20WLED830SPCWH | 9405 | 2780.00 | 4 N |
| CONSTA544LP20WLED840SPCWH | 9405 | 2780.00 | 4 N |
| CONSTA544LP20WLED857SPCWH | 9405 | 2780.00 | 4 N |
| CONSTA1144LP20WLED830SPCWH | 9405 | 3950.00 | 4 N |
| CONSTA1144LP20WLED840SPCWH | 9405 | 3950.00 | 4 N |
| CONSTA1144LP20WLED857SPCWH | 9405 | 3950.00 | 4 N |
| CONSTA1144LP40WLED830SPCWH | 9405 | 4750.00 | 4 N |
| CONSTA1144LP40WLED840SPCWH | 9405 | 4750.00 | 4 N |
| CONSTA1144LP40WLED857SPCWH | 9405 | 4750.00 | 4 N |
| Fixture size: (LxWxH) in (602x106x57) mm (for 20 W) & (1200x104 | x61) mm (f | or 20 W/40 W) | |





LUMILINE

Basic all purpose surface and wall mounted LED batten with polycarbonate housing & integrated electronic driver having THD<20%.

| Item Description | HSN Code | List Price in ₹ Per Unit | Case Lot No. of unit/s |
|--|--------------|-----------------------------|---------------------------|
| LUMILINEBS9WLED865SPCWH | 9405 | 450.00 | 25 N |
| LUMILINEBS18WLED865SPCWH | 9405 | 530.00 | 25 N |
| LUMILINEBS20WLED865SPCWH | 9405 | 550.00 | 25 N |
| Fixture size: (LxWxH) in (600x25x40) mm (for 9 W), (1150x25x40) mm (for NOTE: SUITABLE FOR DOMESTIC APPLICATION ONLY | or 18 W) & (| 1150x25x40) mi | m (for 20 W) |

LUMILINE PLUS

Basic all purpose surface and wall mounted LED batten with Aluminum housing & integrated electronic driver having THD<20%.

| Item Description | HSN Code | List Price in ₹ Per Unit | Case Lot No. of unit/s |
|--|------------------------|-----------------------------|---------------------------|
| LUMILINEPLUSBS10WLED865SPCSS | 9405 | 515.00 | 20 N |
| LUMILINEPLUSBS18WLED865SPCSS | 9405 | 705.00 | 20 N |
| LUMILINEPLUSBS20WLED865SPCSS | 9405 | 715.00 | 20 N |
| LUMILINEPLUSBS22WLED865SPCSS | 9405 | 730.00 | 20 N |
| LUMILINEPLUSBS24WLED865SPCSS | 9405 | 745.00 | 20 N |
| Fixture cize: $(I_x)(xH)$ in (50.2x23x37) mm (for 10)(1) | (1182x23x37) mm (for 1 | 18 \// / 20 \// / 2 | 2 10/ / 24 100 |

Fixture size: (LxWxH) in (592x23x37) mm (for 10W), (1182x23x37) mm (for 18 W / 20 W / 22 W / 24 W)

ENDURA LINEAR NEO

Surface and wall mounted LED batten, extruded aluminium housing provided for efficient heat dissipation with polycarbonate diffuser & integrated electronic driver with industrial grade heavy duty driver having THD<10%.

| Item Description | HSN Code | List Price in ₹ Per Unit | Case Lot No. of unit/s |
|---|-------------|-----------------------------|---------------------------|
| ENDURALINEARNEOBS10WLED865SPCWH | 9405 | 975.00 | 10 N |
| ENDURALINEARNEOBS20WLED865SPCWH | 9405 | 1335.00 | 10 N |
| ENDURALINEARNEOBS22WLED865SPCWH | 9405 | 1385.00 | 10 N |
| Fixture size: (LxWxH) in (600x108x62) mm (for 10 W) & (1200x108 | 3x62) mm (f | or 20 W / 22 V | V) |

STOUT PLUS

Stout Plus LED is a complete range of industrial LED battens to replace traditional T8 battens (600 mm & 1200 mm) with industrial grade heavy duty driver having THD<10%. The range is perfect for lighting large areas such as corridors, warehouses & general purpose spaces.

| Item Description | HSN Code | List Price in ₹ Per Unit | Case Lot No. of unit/s |
|-------------------------------|-------------|-----------------------------|---------------------------|
| STOUTPLUS600BS20WLED840SPCWH | 9405 | 2550.00 | 4 N |
| STOUTPLUS600BS20WLED857SPCWH | 9405 | 2550.00 | 4 N |
| STOUTPLUS1200BS40WLED840SPCWH | 9405 | 3650.00 | 4 N |
| STOUTPLUS1200BS40WLED857SPCWH | 9405 | 3650.00 | 4 N |

Fixture size: (LxWxH) in (605x66x76) mm for 20 W, (1205x66x76) mm for 40 W









BATTEN

STOUT MINI

Surface /Suspended and wall mounted LED batten, CRCA housing provided for efficient heat dissipation with polycarbonate diffuser & built-In electronic driver having THD<10%.

| Item Description | HSN Code | List Price in ₹ Per Unit | Case Lot No. of unit/s |
|--|-------------|-----------------------------|---------------------------|
| STOUTMINI1200BS20WLED865SPCWH | 9405 | 2350.00 | 4 N |
| STOUTMINI1200BS40WLED865SPCWH | 9405 | 2650.00 | 4 N |
| Fixture size: (LxWxH) in (1224x43x58) mm | | | |



DURA BATTEN

Surface and wall mounted LED batten, extruded aluminium housing provided for efficient heat dissipation with polycarbonate diffuser & integrated electronic driver having THD<10%.

| Item Description | HSN Code | List Price in ₹ Per Unit | Case Lot No. of unit/s |
|--|-------------|-----------------------------|---------------------------|
| DURABS40WLED865SPCSS | 9405 | 1695.00 | 20 N |
| Fixture size: (LxWxH) in (1213x29.5x36) mm | | | |





RETROFIT LAMPS

REGAL BATTEN FOR LED TUBE

Universal batten for T5 and T8 lamps.

| Item Description | HSN Code | List Price in ₹ Per Unit | Case Lot No. of unit/s |
|------------------------------------|-------------|-----------------------------|---------------------------|
| REGALBATTENT8UPT01X22WSSBSWH | 9405* | 335.00 | 10 N |
| REGALBATTENT8UPTO2X22WSSBSWH | 9405* | 390.00 | 10 N |
| REGALBATTENT8UPT01X22WDSBSWH | 9405* | 335.00 | 10 N |
| REGALBATTENT8UPTO2X22WDSBSWH | 9405* | 390.00 | 10 N |
| REGALBATTENT5UPT01X18WDSBSWH | 9405* | 335.00 | 10 N |
| LED TUBES TO BE ORDERED SEPARATELY | | | |

CRYSTAL GLASS LED TUBELIGHT (Double Side Connection)

Ultra bright glass LED Tubelight with very high efficacy suited for installation in existing T8 fitting with G13 lamp holders.

| Item Description | HSN Code | List Price in ₹ Per Unit | Case Lot No. of unit/s |
|----------------------------------|-------------|-----------------------------|---------------------------|
| CRYSTAL1213T8DSTL13WLED865SGLASS | 9405 | 410.00 | 20 N |
| CRYSTAL1213T8DSTL15WLED865SGLASS | 9405 | 410.00 | 20 N |
| CRYSTAL1213T8DSTL18WLED865SGLASS | 9405 | 415.00 | 20 N |
| CRYSTAL1213T8DSTL20WLED865SGLASS | 9405 | 425.00 | 20 N |

PHOTON ULTRA LED TUBELIGHT (Single Side Connection)

Ultra bright LED polycarbonate Tubelight with very high efficacy suited for installation in existing T8 fitting with G13 lamp holders having driver with THD<20%.

| Item Description | HSN Code | List Price in ₹ Per Unit | Case Lot No. of unit/s |
|---------------------------------------|-------------|-----------------------------|---------------------------|
| PHOTONULTRA603T8SSTL10WLED865SPC | 9405 | 460.00 | 10 N |
| PHOTONULTRA1213T8SSTL13WLED865SPC | 9405 | 660.00 | 25 N |
| PHOTONULTRA1213T8SSTL15WLED865SPC | 9405 | 670.00 | 25 N |
| PHOTONULTRAE2.01213T8SSTL18WLED865SPC | 9405 | 675.00 | 25 N |
| PHOTONULTRAE2.01213T8SSTL20WLED865SPC | 9405 | 685.00 | 25 N |

PHOTON ULTRA PLUS LED TUBELIGHT (Single Side Connection)

Ultra bright LED polycarbonate Tubelight with THD<10% with very high efficacy suited for installation in existing T8 fitting with G13 lamp holders.

| Item Description | HSN Code | List Price in ₹ Per Unit | Case Lot No. of unit/s |
|--------------------------------------|-------------|-----------------------------|---------------------------|
| PHOTONULTRA+603T8SSTL10WLED865SPC | 9405 | 585.00 | 10 N |
| PHOTONULTRA+1213T8SSTL13WLED865SPC | 9405 | 740.00 | 25 N |
| PHOTONULTRA+1213T8SSTL15WLED865SPC | 9405 | 745.00 | 25 N |
| PHOTONULTRA2.01213T8SSTL18WLED865SPC | 9405 | 750.00 | 25 N |
| PHOTONULTRA2.01213T8SSTL20WLED865SPC | 9405 | 755.00 | 25 N |

TITANIA NEO LED TUBELIGHT (Single Side Connection)

Ultra bright integrated aluminum heat sink LED Tubelight with high efficacy suited for installation in existing T8 fitting with G13 lamp holders having driver with THD<15%.

| Item Description | HSN Code | List Price in ₹ Per Unit | Case Lot No. of unit/s |
|----------------------------------|-------------|-----------------------------|---------------------------|
| TITANIANEO1213T8SSTL18WLED865SPC | 9405 | 775.00 | 20 N |
| TITANIANEO1213T8SSTL20WLED865SPC | 9405 | 785.00 | 20 N |











RETROFIT LAMPS

TITANIA SLEEK NEW T5 LED TUBELIGHT (Double Side Connection)

Ultra bright LED Tubelight with aluminium heat sink & polycarbonate diffuser having high efficacy suited for installation in existing T5 fitting with G5 lamp holders, LED driver outside.

| Item Description | HSN Code | List Price in ₹ Per Unit | Case Lot No. of unit/s |
|------------------------------------|-------------|-----------------------------|---------------------------|
| TITANIASLEEK549T5DSTL9WLED865SPC | 9405 | 690.00 | 20 N |
| TITANIASLEEK1149T5DSTL18WLED865SPC | 9405 | 925.00 | 25 N |

PHOTON ULTRA PL-L

Ultra bright LED PL-L with very high efficacy suited for installation in existing 2G11 lamp holders.

| Item Description | HSN Code | List Price in ₹ Per Unit | Case Lot No. of unit/s |
|---------------------------------|-------------|-----------------------------|---------------------------|
| PHOTONULTRAPLL222TL9WLED865SPC | 9405 | 650.00 | 25 N |
| PHOTONULTRAPLL419TL18WLED865SPC | 9405 | 740.00 | 25 N |





LED FLEXI STRIP

Flexible LED strip uses high brightness SMD LED as the light source for indoor application only. It is highly suitable for cove-lighting, decorative lighting etc.

| Item Description | HSN Code | List Price in ₹ Per Unit | Case Lot No. of unit/s |
|-------------------------------|-------------|-----------------------------|---------------------------|
| FLEXISTRIP5MIP2024V/1ALED830S | 9405 | 1150.00 | 10 N |
| FLEXISTRIP5MIP2024V/1ALED840S | 9405 | 1150.00 | 10 N |
| FLEXISTRIP5MIP2024V/1ALED865S | 9405 | 1150.00 | 10 N |
| FLEXISTRIP5MIP2024V/2ALED830S | 9405 | 1550.00 | 10 N |
| FLEXISTRIP5MIP2024V/2ALED840S | 9405 | 1550.00 | 10 N |
| FLEXISTRIP5MIP2024V/2ALED865S | 9405 | 1550.00 | 10 N |
| CVDRIVER24V1A | 9405 | 750.00 | 1 N |
| CVDRIVER24V2A | 9405 | 1350.00 | 1 N |

PANEL LIGHTING

VENUS NEO HE 2X2

Ultra modern designed architectural LED luminaire which provides soft-light and glare free symmetrical illumination suitable for Armstrong/Grid ceiling.

| Item Description | HSN Code | List Price in ₹ Per Unit | Case Lot No. of unit/s |
|---|-------------|-----------------------------|---------------------------|
| VENUSNEOHE2X2PLR18-42WLED830MOD | 9405 | 2870.00 | 2 N |
| VENUSNEOHE2X2PLR18-42WLED840MOD | 9405 | 2870.00 | 2 N |
| VENUSNEOHE2X2PLR18-42WLED857MOD | 9405 | 2870.00 | 2 N |
| VENUSNEOHE2X2PLR18-42WLED865MOD | 9405 | 2870.00 | 2 N |
| LEDDRIVER36V18WS | 9405 | 685.00 | 20 N |
| LEDDRIVER36V24WS | 9405 | 750.00 | 20 N |
| LEDDRIVER36V28WS | 9405 | 750.00 | 20 N |
| LEDDRIVER36V34WS | 9405 | 770.00 | 20 N |
| LEDDRIVER36V36WS | 9405 | 770.00 | 20 N |
| LEDDRIVER36V1A42WS | 9405 | 850.00 | 50 N |
| Eixture aize: (Lx)(V(xH) in (E0ExE0Ex6E) mm for 0x0 | | | |

Fixture size: (LxWxH) in (595x595x65) mm for 2x2 ORDERING : MODULE + DRIVER (DRIVER TO BE ORDERED SEPARATELY Driver packed separately

VENUS NEO HE 4X1

Ultra modern designed architectural LED luminaire which provides soft-light and glare free symmetrical illumination suitable for Armstrong/Grid ceiling.

| Item Description | HSN Code | List Price in ₹ Per Unit | Case Lot No. of unit/s |
|---|-------------|-----------------------------|---------------------------|
| VENUSNEOHE4X1PLR28WLED830S | 9405 | 3400.00 | 2 N |
| VENUSNEOHE4X1PLR28WLED840S | 9405 | 3400.00 | 2 N |
| VENUSNEOHE4X1PLR28WLED857S | 9405 | 3400.00 | 2 N |
| VENUSNEOHE4X1PLR36WLED830S | 9405 | 3700.00 | 2 N |
| VENUSNEOHE4X1PLR36WLED840S | 9405 | 3700.00 | 2 N |
| VENUSNEOHE4X1PLR36WLED857S | 9405 | 3700.00 | 2 N |
| Fixture size: (LxWxH) in (1180x280x70) mm for 4x1 | | | |

ze: (LxWxH) in (1180x280x70) mm for 4x1

PLUTO NEO PANEL 2X2

Environmental friendly, new generation, aesthetically designed, ultra modern recess mounting luminaire with high brightness SMD LEDs as light source, suitable for Armstrong/Grid ceiling.

| Item Description | HSN Code | List Price in ₹ Per Unit | Case Lot No. of unit/s |
|--|-------------|-----------------------------|---------------------------|
| PLUTONEO2X2PLR28WLED840S | 9405 | 4480.00 | 2 N |
| PLUTONEO2X2PLR28WLED857S | 9405 | 4480.00 | 2 N |
| PLUTONEO2X2PLR34WLED840S | 9405 | 4570.00 | 2 N |
| PLUTONEO2X2PLR34WLED857S | 9405 | 4570.00 | 2 N |
| PLUTONEO2X2PLR42WLED840S | 9405 | 4840.00 | 2 N |
| PLUTONEO2X2PLR42WLED857S | 9405 | 4840.00 | 2 N |
| Fixture size: (LxWxH) in (595x595x70) mm | | | |

PLUTO NEO PANEL 4X1

Environmental friendly, new generation, aesthetically designed, ultra modern recess mounting luminaire with high brightness SMD LEDs as light source, suitable for Armstrong/Grid ceiling.

| Item Description | HSN Code | List Price in ₹ Per Unit | Case Lot No. of unit/s |
|---|-------------|-----------------------------|---------------------------|
| PLUTONEO4X1PLR30WLED840S | 9405 | 5050.00 | 2 N |
| PLUTONEO4X1PLR30WLED857S | 9405 | 5050.00 | 2 N |
| PLUTONEO4X1PLR36WLED840S | 9405 | 5050.00 | 2 N |
| PLUTONEO4X1PLR36WLED857S | 9405 | 5050.00 | 2 N |
| Fixture size: (LxWxH) in (1195x295x70) mm | | | |









PANEL LIGHTING

PLUTO 2X1

High efficacy 2x1 recess LED flat panel with high brightness LED for glare-free homogenous illumination. Also for POP ceilings (supplied with wedge brackets)

| Item Description | HSN Code | List Price in ₹ Per Unit | Case Lot No. of unit/s |
|--|-------------|-----------------------------|---------------------------|
| PLUTO2X1PLR20WLED840S | 9405 | 3600.00 | 2 N |
| PLUTO2X1PLR20WLED857S | 9405 | 3600.00 | 2 N |
| PLUTO2X1PLR28WLED840S | 9405 | 3800.00 | 2 N |
| PLUTO2X1PLR28WLED857S | 9405 | 3800.00 | 2 N |
| Eixture size: $(I_X)(YH)$ in (505x205x70) mm | | | |



Fixture size: (LxWxH) in (595x295x70) mm

PLUTO 1X1

High efficacy 1x1 recess LED flat panel with high brightness LED for glare-free homogenous illumination. Also for POP ceilings (supplied with wedge brackets).

| Item Description | HSN Code | List Price in ₹ Per Unit | Case Lot No. of unit/s |
|--|-------------|-----------------------------|---------------------------|
| PLUTO1X1PLR15WLED840S | 9405 | 2105.00 | 1 N |
| PLUTO1X1PLR15WLED857S | 9405 | 2105.00 | 1 N |
| Fixture size: (LxWxH) in (295x295x70) mm | | | |



STRATO 2X2

LED edge-lit luminaire suitable for armstrong/grid ceiling complete for low ceiling applications.

| Item Description | HSN Code | List Price in ₹ Per Unit | Case Lot No. of unit/s |
|---|-------------|-----------------------------|---------------------------|
| STRATO2X2PLR36WLED840MOD | 9405 | 3285.00 | 4 N |
| STRATO2X2PLR36WLED857MOD | 9405 | 3285.00 | 4 N |
| LEDDRIVER36V36WS | 9405 | 770.00 | 40 N |
| Fixture size: (LxWxH) in (595x595x11) mm ORDERING : MODULE + DRIVER (DRIVER TO BE ORDERED SEPARATELY | | | |

Driver packed separately

SCOOP

Innovative direct/indirect luminaire suitable for armstrong/grid ceiling with high brightness LEDs and conical de-glaring prism center panel for efficient down light.

| Item Description | HSN Code | List Price in ₹ Per Unit | Case Lot No. of unit/s |
|--|-------------|-----------------------------|---------------------------|
| SCOOP2X2PLR34WLED840S | 9405 | 6300.00 | 2 N |
| SCOOP2X2PLR34WLED857S | 9405 | 6300.00 | 2 N |
| Fixture size: (LxWxH) in (595x595x70) mm | | | |



PANEL LIGHTING

PLUTO PANEL (SURFACE)

Aesthetically designed 1x1, 2x2 & 4x1 LED flat panel for surface mounting which provides soft-light and glare free symmetrical illumination.


| Item | HSN | List Price in | Case Lot |
|--|---------------------|----------------|----------------|
| Description | Code | ₹ Per Unit | No. of unit/s |
| PLUTOSURFACE1X1PLS15WLED840S | 9405 | 2240.00 | 1 N |
| PLUTOSURFACE1X1PLS15WLED857S | 9405 | 2240.00 | 1 N |
| PLUTOSURFACE2X2PLS34WLED840S | 9405 | 5020.00 | 4 N |
| PLUTOSURFACE2X2PLS34WLED857S | 9405 | 5020.00 | 4 N |
| PLUTOSURFACE2X2PLS42WLED840S | 9405 | 5380.00 | 4 N |
| PLUTOSURFACE2X2PLS42WLED857S | 9405 | 5380.00 | 4 N |
| PLUTOSURFACE4X1PLS34WLED840S | 9405 | 5550.00 | 2 N |
| PLUTOSURFACE4X1PLS34WLED857S | 9405 | 5550.00 | 2 N |
| PLUTOSURFACE4X1PLS42WLED840S | 9405 | 5650.00 | 2 N |
| PLUTOSURFACE4X1PLS42WLED857S | 9405 | 5650.00 | 2 N |
| Fixture size: $(I_X)(XYH)$ in $(300x300x70)$ mm for $(1x1)$, $(600x600x70)$ |)) mm for $(2x2)$ (| 1200v300v70) r | mm for $(4x1)$ |



Fixture size: (LxWxH) in (300x300x70) mm for (1x1), (600x600x70) mm for (2x2), (1200x300x70) mm for (4x1)

ALUMINIUM FRAME FOR POP/GYPSUM BOARD 2X2 PANEL LIGHT

| Item Description | HSN Code | List Price in ₹ Per Unit | Case Lot No. of unit/s |
|--|-------------|-----------------------------|---------------------------|
| ALFRAME2X2POP/GBR | 9405 | 1025.00 | 2 N |
| Frame size: (LxWxH) in (600x600x70) mm | | | |





DOWNLIGHTS

ORBIT

Ultra bright compact 5W LED downlighter with high efficacy LEDs, ideally suited for low ceiling areas to give glare free light (IP44 from front only).

| Item Description | HSN Code | List Price in ₹ Per Unit | Case Lot No. of unit/s |
|---------------------------------------|-------------|-----------------------------|---------------------------|
| ORBITDLR5WLED840S | 9405 | 690.00 | 12 N |
| ORBITDLR5WLED857S | 9405 | 690.00 | 12 N |
| Ceiling cutout: Ø 95 mm. height 83 mm | | | |

RISE

Recess mounted pressure die-cast aluminium luminaire in powder coated white finish with drop down PC diffuser with optimized heat sink for efficient heat dissipation and separate replaceable electronic driver.

| Item Description | HSN Code | List Price in ₹ Per Unit | Case Lot No. of unit/s |
|--|-------------|-----------------------------|---------------------------|
| RISEDLR15WLED840S | 9405 | 1690.00 | 12 N |
| RISEDLR15WLED857S | 9405 | 1690.00 | 12 N |
| Ceiling cutout: Ø 155 mm, height 45 mm | | | |





INTEGRA NEO

Recess mounted downlighter with pressure die-cast aluminium heat sink & PC diffuser in white powder coated finish with integrated driver.

| Item Description | HSN Code | List Price in ₹ Per Unit | Case Lot No. of unit/s |
|---|-------------|-----------------------------|---------------------------|
| INTEGRANEODLR10WLED840S | 9405 | 850.00 | 12 N |
| INTEGRANEODLR10WLED857S | 9405 | 850.00 | 12 N |
| INTEGRANEODLR12WLED840S | 9405 | 1105.00 | 08 N |
| INTEGRANEODLR12WLED857S | 9405 | 1105.00 | 8 N |
| INTEGRANEODLR15WLED840S | 9405 | 1130.00 | 8 N |
| INTEGRANEODLR15WLED857S | 9405 | 1130.00 | 8 N |
| INTEGRANEODLR18WLED840S | 9405 | 1695.00 | 6 N |
| INTEGRANEODLR18WLED857S | 9405 | 1695.00 | 6 N |
| INTEGRANEODLR24WLED840S | 9405 | 1750.00 | 6 N |
| INTEGRANEODLR24WLED857S | 9405 | 1750.00 | 6 N |
| Ceiling cutout: Ø 90 mm, height 90 mm Attachment 10 W | | | |

Ceiling cutout: Ø 138 mm, height 90 mm for 12 W/15 W Ceiling cutout: Ø 175 mm, height 92 mm for 18 W/24 W

INTEGRA GRAND

Recess mounted downlighter with pressure die-cast aluminium heat sink & PC diffuser in white powder coated finish with integrated driver.

| Item Description | HSN Code | List Price in ₹ Per Unit | Case Lot No. of unit/s |
|--|-------------|-----------------------------|---------------------------|
| INTEGRAGRANDDLR10WLED840S | 9405 | 1150.00 | 12 N |
| INTEGRAGRANDDLR10WLED857S | 9405 | 1150.00 | 12 N |
| INTEGRAGRANDDLR15WLED840S | 9405 | 1650.00 | 12 N |
| INTEGRAGRANDDLR15WLED857S | 9405 | 1650.00 | 12 N |
| Ceiling cutout: Ø 175 mm, height 92 mm | | | |



DOWNLIGHTS

INTEGRA HE

Recess mounted downlighter with pressure die-cast aluminium heat sink & PC diffuser in white powder coated finish with integral electronic low THD (<10%) LED driver.

| Item Description | HSN Code | List Price in ₹ Per Unit | Case Lot No. of unit/s |
|------------------------|-------------|-----------------------------|---------------------------|
| INTEGRAHEDLR7WLED840S | 9405 | 950.00 | 12 N |
| INTEGRAHEDLR7WLED857S | 9405 | 950.00 | 12 N |
| INTEGRAHEDLR10WLED840S | 9405 | 1050.00 | 8 N |
| INTEGRAHEDLR10WLED857S | 9405 | 1050.00 | 8 N |
| INTEGRAHEDLR12WLED840S | 9405 | 1300.00 | 8 N |
| INTEGRAHEDLR12WLED857S | 9405 | 1300.00 | 8 N |
| INTEGRAHEDLR15WLED840S | 9405 | 1350.00 | 8 N |
| INTEGRAHEDLR15WLED857S | 9405 | 1350.00 | 8 N |
| INTEGRAHEDLR18WLED840S | 9405 | 1895.00 | 6 N |
| INTEGRAHEDLR18WLED857S | 9405 | 1895.00 | 6 N |
| INTEGRAHEDLR21WLED840S | 9405 | 1930.00 | 6 N |
| INTEGRAHEDLR21WLED857S | 9405 | 1930.00 | 6 N |
| INTEGRAHEDLR24WLED840S | 9405 | 1950.00 | 6 N |
| INTEGRAHEDLR24WLED857S | 9405 | 1950.00 | 6 N |



Ceiling cutout: Ø 138 mm, height 90 mm for 7 W/10 W/12 W/15 W Ceiling cutout: Ø 175 mm, height 90 mm for 18 W/24 W

ENDURA HO

Endura HO is a highly efficient downlight with efficacy of 100 lm/W designed to replace CFL luminaire solutions. With its IP44 rating, the range is perfect for corridors, WCs, high public circulation areas and reception areas. EMI /EMC, CE Compliant Product.

| Item Description | HSN Code | List Price in ₹ Per Unit | Case Lot No. of unit/s |
|---------------------------|-------------|-----------------------------|---------------------------|
| ENDURAHODLR12WLED840MOD | 9405 | 890.00 | 12 N |
| ENDURAHODLR12WLED857MOD | 9405 | 890.00 | 12 N |
| LEDDRIVER12/15WENDURAHOCE | 9405 | 670.00 | 20 N |
| ENDURAHODLR15WLED840MOD | 9405 | 1055.00 | 12 N |
| ENDURAHODLR15WLED857MOD | 9405 | 1055.00 | 12 N |
| LEDDRIVER12/15WENDURAHOCE | 9405 | 670.00 | 20 N |
| ENDURAHODLR21WLED840MOD | 9405 | 1400.00 | 12 N |
| ENDURAHODLR21WLED857MOD | 9405 | 1400.00 | 12 N |
| LEDDRIVER21/25WENDURAHOCE | 9405 | 790.00 | 20 N |
| ENDURAHODLR25WLED840MOD | 9405 | 1530.00 | 12 N |
| ENDURAHODLR25WLED857MOD | 9405 | 1530.00 | 12 N |
| LEDDRIVER21/25WENDURAHOCE | 9405 | 790.00 | 20 N |

Ceiling cutout: Ø 145 mm, height 45 mm for 12 W. Ceiling cutout Ø 175 mm, height 55 mm for 15 W Ceiling cutout: Ø 205 mm, height 60 mm for 21 W. Ceiling cutout Ø 225 mm, height 65 mm for 25 W ORDERING : MODULE + DRIVER (DRIVER TO BE ORDERED SEPARATELY Driver packed separately



DOWNLIGHTS

EDGEPRO ROUND

The Edgepro range of Slim-Fit low profile downlights are engineered to deliver superior light output and uniformity utilising the latest edge-lit LED technology. An ideal solution where ceiling voids are limited but high lumen output is required.

| Item Description | HSN Code | List Price in ₹ Per Unit | Case Lot No. of unit/s |
|------------------------|-------------|-----------------------------|---------------------------|
| EDGEPRORDDLR6WLED840S | 9405 | 750.00 | 1 N |
| EDGEPRORDDLR6WLED857S | 9405 | 750.00 | 1 N |
| EDGEPRORDDLR12WLED840S | 9405 | 1150.00 | 1 N |
| EDGEPRORDDLR12WLED857S | 9405 | 1150.00 | 1 N |
| EDGEPRORDDLR15WLED840S | 9405 | 1400.00 | 1 N |
| EDGEPRORDDLR15WLED857S | 9405 | 1400.00 | 1 N |
| EDGEPRORDDLR18WLED840S | 9405 | 1720.00 | 1 N |
| EDGEPRORDDLR18WLED857S | 9405 | 1720.00 | 1 N |

Ceiling cutout: Ø 105 mm, height 16 mm for 6 W. Ceiling cutout: Ø 160 mm, height 16 mm for 12 W Ceiling cutout: Ø 180 mm, height 16 mm for 15 W. Ceiling cutout: Ø 210 mm, height 16 mm for 18 W

EDGEPRO SQUARE

The Edgepro range of Slim-Fit low profile downlights are engineered to deliver superior light output and uniformity utilising the latest edge-lit LED technology. An ideal solution where ceiling voids are limited but high lumen output is required.

| Item Description | HSN Code | List Price in ₹ Per Unit | Case Lot No. of unit/s |
|--|-------------|-----------------------------|---------------------------|
| EDGEPROSQDLR6WLED840S | 9405 | 750.00 | 1 N |
| EDGEPROSQDLR6WLED857S | 9405 | 750.00 | 1 N |
| EDGEPROSQDLR12WLED840S | 9405 | 1150.00 | 1 N |
| EDGEPROSQDLR12WLED857S | 9405 | 1150.00 | 1 N |
| EDGEPROSQDLR15WLED840S | 9405 | 1400.00 | 1 N |
| EDGEPROSQDLR15WLED857S | 9405 | 1400.00 | 1 N |
| EDGEPROSQDLR18WLED840S | 9405 | 1720.00 | 1 N |
| EDGEPROSQDLR18WLED857S | 9405 | 1720.00 | 1 N |
| Ceiling cutout: 105x105 mm, height 16 mm for 6 W | | | |

Ceiling cutout: 160x160 mm, height 16 mm for 12 W Ceiling cutout: 180x180 mm, height 16 mm for 15 W Ceiling cutout: 210x210 mm, height 16 mm for 18 W

ENDURA NEO HE DL SURFACE

Surface mounted LED downlighter with white powder coated aluminium housing with integrated electronic driver.

| Item Description | HSN Code | List Price in ₹ Per Unit | Case Lot No. of unit/s |
|--|-------------|-----------------------------|---------------------------|
| ENDURANEOHESURFACEDLS15WLED840S | 9405 | 1835.00 | 10 N |
| ENDURANEOHESURFACEDLS15WLED857S | 9405 | 1835.00 | 10 N |
| ENDURANEOHESURFACEDLS18WLED840S | 9405 | 2100.00 | 10 N |
| ENDURANEOHESURFACEDLS18WLED857S | 9405 | 2100.00 | 10 N |
| ENDURANEOHESURFACEDLS21WLED840S | 9405 | 2250.00 | 10 N |
| ENDURANEOHESURFACEDLS21WLED857S | 9405 | 2250.00 | 10 N |
| Fixture size in Ø 234 mm, Height 57 mm | | | |





DOWNLIGHTS

INTEGRA NEO (SURFACE)

Surface mounted downlight with white powder coated polycarbonate decorative housing and pressure die-cast heat sink having high efficiency with heavy duty driver having THD<10%.


| Item Description | HSN Code | List Price in ₹ Per Unit | Case Lot No. of unit/s |
|--|-------------|-----------------------------|---------------------------|
| INTEGRANEOSURFACEDLS10WLED840S | 9405 | 1295.00 | 12 N |
| INTEGRANEOSURFACEDLS10WLED857S | 9405 | 1295.00 | 12 N |
| INTEGRANEOSURFACEDLS15WLED840S | 9405 | 1395.00 | 12 N |
| INTEGRANEOSURFACEDLS15WLED857S | 9405 | 1395.00 | 12 N |
| Fixture size in Ø 200 mm, Height 69 mm | | | |



SPARKLE PRO SNOOT

Recess mounted LED wall washers, tilted 70° outwards and swivels 360° to offer best illumination on the wall and retail displays.

| Item Description | HSN Code | List Price in ₹ Per Unit | Case Lot No. of unit/s |
|--|-------------|-----------------------------|---------------------------|
| SPARKLEPROSNOOTDLR20W830MOD30DWHTNEEM | 9405 | 4275.00 | 18 N |
| SPARKLEPROSNOOTDLR20W840MOD30DWHTNEEM | 9405 | 4275.00 | 18 N |
| SPARKLEPROSNOOTDLR20W857MOD30DWHTNEEM | 9405 | 4275.00 | 18 N |
| L.SPARE LED DRIVER 15W 36V 360mA | 9405 | 630.00 | 20 N |
| SPARKLEPROSNOOTDLR30W830MOD38DWHTNEEM | 9405 | 5760.00 | 12 N |
| SPARKLEPROSNOOTDLR30W840MOD38DWHTNEEM | 9405 | 5760.00 | 12 N |
| SPARKLEPROSNOOTDLR30W857MOD38DWHTNEEM | 9405 | 5760.00 | 12 N |
| L.SPARE PLUTO DRIVER CC I/P 28W30V-840mA | 9405 | 900.00 | 20 N |



ORDERING : MODULE + DRIVER (DRIVER TO BE ORDERED SEPARATELY)

Driver packed separately

NOVA BRITE

Deep recessed antiglare LED downlight for general and accent lighting. The premium reflector matches the ceiling and accentuates the architecture of the area without compromising the light output.

| Item Description | HSN Code | List Price in ₹ Per Unit | Case Lot No. of unit/s |
|--|-------------|-----------------------------|---------------------------|
| NOVABRITELMR10WLED830MOD24D | 9405 | 1285.00 | 1 N |
| NOVABRITELMR10WLED840MOD24D | 9405 | 1285.00 | 1 N |
| NOVABRITELMR10WLED857MOD24D | 9405 | 1285.00 | 1 N |
| TLDLRDFIXATTACHPLBLK | 9405 | 1100.00 | 1 N |
| TLDLRDFIXATTACHPLWHT | 9405 | 1100.00 | 1 N |
| TLDLSQFIXATTACHPLBLK | 9405 | 1100.00 | 1 N |
| TLDLSQFIXATTACHPLWHT | 9405 | 1100.00 | 1 N |
| DLRDFIXATTACHPLWHT | 9405 | 750.00 | 1 N |
| DLSQFIXATTACHPLWHT | 9405 | 750.00 | 1 N |
| WWSQASYMFIXATTACHPLWHT | 9405 | 750.00 | 1 N |
| WWRDASYMFIXATTACHPLWHT | 9405 | 750.00 | 1 N |
| LED Driver Cylindro surface/pendant 10W | 9405 | 650.00 | 1 N |
| Ceiling cutout (for Round): Ø 92 mm. height 112 mm | | | |

mm, height 11 Rouna): Ceiling cutout (for Square): 85x78 mm, height 112 mm

ORDERING : MODULE + DRIVER (DRIVER TO BE ORDERED SEPARATELY)

Driver packed separately



DOWNLIGHTS

SPARKLE PRO ADJUSTABLE

Recess mounted adjustable LED downlights made of extruded Aluminium housing and high power LED as a light source with clear diffuser and separate electronic driver.

| Item Description | HSN Code | List Price in ₹ Per Unit | Case Lot No. of unit/s |
|--|-------------|-----------------------------|---------------------------|
| SPARKLEPROADJDLR8W830MOD40DWHTNEEM | 9405 | 1085.00 | 30 N |
| SPARKLEPROADJDLR8W840MOD40DWHTNEEM | 9405 | 1085.00 | 30 N |
| SPARKLEPROADJDLR8W857MOD40DWHTNEEM | 9405 | 1085.00 | 30 N |
| LEDDRIVER8WS | 9405 | 615.00 | 20 N |
| SPARKLEPROADJDLR12W830MOD40DWHTNEEM | 9405 | 1755.00 | 30 N |
| SPARKLEPROADJDLR12W840MOD40DWHTNEEM | 9405 | 1755.00 | 30 N |
| SPARKLEPROADJDLR12W857MOD40DWHTNEEM | 9405 | 1755.00 | 30 N |
| LEDDRIVER15WS | 9405 | 630.00 | 20 N |
| SPARKLEPROADJDLR20W830MOD40DWHTNEEM | 9405 | 2580.00 | 20 N |
| SPARKLEPROADJDLR20W840MOD40DWHTNEEM | 9405 | 2580.00 | 20 N |
| SPARKLEPROADJDLR20W857MOD40DWHTNEEM | 9405 | 2580.00 | 20 N |
| LEDDRIVER24WS | 9405 | 635.00 | 20 N |
| SPARKLEPROADJDLR30W830MOD40DWHTNEEM | 9405 | 3450.00 | 10 N |
| SPARKLEPROADJDLR30W840MOD40DWHTNEEM | 9405 | 3450.00 | 10 N |
| SPARKLEPROADJDLR30W857MOD40DWHTNEEM | 9405 | 3450.00 | 10 N |
| SPARKLEPROADJDLR30W840MOD40DBLKNEEM | 9405 | 3450.00 | 10 N |
| L.SPARE PLUTO DRIVER CC I/P 28W30V-840mA | 9405 | 900.00 | 20 N |
| | | | 10111 |

Ceiling cutout: Ø 75 mm, height 55 mm for 8 W. Ceiling cutout: Ø 85 mm, height 70 mm for 12 W Ceiling cutout: Ø 120 mm, height 90 mm for 20 W. Ceiling cutout: Ø 150 mm, height 98 mm for 30 W ORDERING : MODULE + DRIVER (DRIVER TO BE ORDERED SEPARATELY) Driver packed separately

| SPARKLE PRO FIX | \langle |
|-----------------|-----------|
|-----------------|-----------|

Recess mounted fixed LED downlight made of extruded Aluminium housing and high power LED as a light source with clear diffuser and separate electronic driver.

| Item Description | HSN Code | List Price in ₹ Per Unit | Case Lot No. of unit/s |
|--|-------------|-----------------------------|---------------------------|
| SPARKLEPROFIXDLR8W830MOD40DWHTNEEM | 9405 | 930.00 | 30 N |
| SPARKLEPROFIXDLR8W840MOD40DWHTNEEM | 9405 | 930.00 | 30 N |
| SPARKLEPROFIXDLR8W857MOD40DWHTNEEM | 9405 | 930.00 | 30 N |
| LEDDRIVER8WS | 9405 | 615.00 | 20 N |
| SPARKLEPROFIXDLR12W830MOD40DWHTNEEM | 9405 | 1445.00 | 30 N |
| SPARKLEPROFIXDLR12W840MOD40DWHTNEEM | 9405 | 1445.00 | 30 N |
| SPARKLEPROFIXDLR12W857MOD40DWHTNEEM | 9405 | 1445.00 | 30 N |
| LEDDRIVER15WS | 9405 | 630.00 | 20 N |
| SPARKLEPROFIXDLR20W830MOD40DWHTNEEM | 9405 | 2040.00 | 20 N |
| SPARKLEPROFIXDLR20W840MOD40DWHTNEEM | 9405 | 2040.00 | 20 N |
| SPARKLEPROFIXDLR20W857MOD40DWHTNEEM | 9405 | 2040.00 | 20 N |
| LEDDRIVER24WS | 9405 | 635.00 | 20 N |
| SPARKLEPROFIXDLR30W830MOD40DWHTNEEM | 9405 | 3200.00 | 8 N |
| SPARKLEPROFIXDLR30W840MOD40DWHTNEEM | 9405 | 3200.00 | 8 N |
| SPARKLEPROFIXDLR30W857MOD40DWHTNEEM | 9405 | 3200.00 | 8 N |
| L.SPARE PLUTO DRIVER CC I/P 28W30V-840mA | 9405 | 900.00 | 20 N |
| SPARKLEPROFIXDLR45W830MOD60DWHTNEEM | 9405 | 3950.00 | 8 N |
| SPARKLEPROFIXDLR45W840MOD60DWHTNEEM | 9405 | 3950.00 | 8 N |
| SPARKLEPROFIXDLR45W857MOD60DWHTNEEM | 9405 | 3950.00 | 8 N |
| L.SPARE LED DRIVER 45W 36V 1100mA | 9405 | 1200.00 | 20 N |

Ceiling cutout: Ø 80 mm, height 60 mm for 8 W. Ceiling cutout: Ø 105 mm, height 65 mm for 12 W Ceiling cutout: Ø 130 mm, height 75 mm for 20 W. Ceiling cutout: Ø 185 mm, height 95 mm for 30 W Ceiling cutout: Ø 215 mm, height 110 mm for 45 W

ORDERING : MODULE + DRIVER (DRIVER TO BE ORDERED SEPARATELY) Driver packed separately





Indoor Commercial LED Luminaires DOWNLIGHTS

SPARKLE PRO DL

Recess mounting downlighter with pressure die-cast aluminium housing & high power Discrete LED used as light source.

| Item Description | HSN Code | List Price in ₹ Per Unit | Case Lot No. of unit/s |
|----------------------------------|-------------|-----------------------------|---------------------------|
| SPARKLEPROFIXDLR50WLED857S60DWHT | 9405 | 8850.00 | 1 N |
| SPARKLEPROFIXDLR60WLED857S60DWHT | 9405 | 9150.00 | 1 N |
| SPARKLEPROFIXDLR70WLED857S60DWHT | 9405 | 9450.00 | 1 N |
| SPARKLEPROFIXDLR50WLED857S90DWHT | 9405 | 8850.00 | 1 N |
| SPARKLEPROFIXDLR60WLED857S90DWHT | 9405 | 9150.00 | 1 N |
| SPARKLEPROFIXDLR70WLED857S90DWHT | 9405 | 9450.00 | 1 N |

Ceiling cutout: Ø 240 mm, height 209 mm

ORDERING : MODULE + DRIVER (DRIVER TO BE ORDERED SEPARATELY) Driver packed separately

SPIRIT

A minimalistic & versatile lighting source that offers a wide range of application with different aperture for same lamp unit. The lamp is deep recessed into the fixture to provide a glare-free solution.

| Item Description | HSN Code | List Price in ₹ Per Unit | Case Lot No. of unit/s |
|--|-------------|-----------------------------|---------------------------|
| SPIRITLAMPUNITDLR10WLED827MOD24D | 9405 | 1870.00 | 6 N |
| SPIRITLAMPUNITDLR10WLED840MOD24D | 9405 | 1870.00 | 6 N |
| SPIRITLAMPUNITDLR10WLED827MOD38D | 9405 | 1870.00 | 6 N |
| SPIRITLAMPUNITDLR10WLED840MOD38D | 9405 | 1870.00 | 6 N |
| L.SPARE LED DRIVER 12W MISTO V2 | 9405 | 510.00 | 6 N |
| SPIRITLAMPUNITDLR15WLED827MOD24D | 9405 | 1980.00 | 6 N |
| SPIRITLAMPUNITDLR15WLED840MOD24D | 9405 | 1980.00 | 6 N |
| SPIRITLAMPUNITDLR15WLED827MOD38D | 9405 | 1980.00 | 6 N |
| SPIRITLAMPUNITDLR15WLED840MOD38D | 9405 | 1980.00 | 6 N |
| L.SPARE LED DRIVER 12/15W 45V 300mA | 9405 | 630.00 | 6 N |
| SPIRITATTACHMENTRD-DDL10WWHT | 9405 | 130.00 | 6 N |
| SPIRITATTACHMENTRD-OVALDL10WWHT | 9405 | 130.00 | 6 N |
| SPIRITATTACHMENTRD-ODL10WWHT | 9405 | 130.00 | 6 N |
| SPIRITATTACHMENTRD-SYMDL10WWHT | 9405 | 130.00 | 6 N |
| SPIRITATTACHMENTRD-ASYMDL10WWHT | 9405 | 130.00 | 6 N |
| SPIRITATTACHMENTSQ-ODL10WWHT | 9405 | 130.00 | 6 N |
| SPIRITATTACHMENTRD-DDL15WWHT | 9405 | 165.00 | 6 N |
| SPIRITATTACHMENTRD-OVALDL15WWHT | 9405 | 165.00 | 6 N |
| SPIRITATTACHMENTRD-ODL15WWHT | 9405 | 165.00 | 6 N |
| SPIRITATTACHMENTRD-SYMDL15WWHT | 9405 | 165.00 | 6 N |
| SPIRITATTACHMENTRD-ASYMDL15WWHT | 9405 | 165.00 | 6 N |
| SPIRITATTACHMENTSQ-ODL15WWHT | 9405 | 165.00 | 6 N |
| Ceiling cutout Ø 80 mm, height 85 mm Attachment 10 W | | | |

Ceiling cutout Ø 100 mm, height 85 mm for 15 W ORDERING : MODULE + DRIVER (DRIVER TO BE ORDERED SEPARATELY) Driver packed separately

SCUBA TRACK LIGHT

Track based spot light with high efficiency reflector makes it ideal for lighting-up retail spaces with bright and crisp light throw. Suitable for 3 circuit-4 wire universal tracks.

| Item Description | HSN Code | List Price in ₹ Per Unit | Case Lot No. of unit/s |
|---------------------|-------------|-----------------------------|---------------------------|
| SCUBA35W930S55DBLK | 9405 | 7500.00 | 4 N |
| SCUBA35W940S55DBLK | 9405 | 7500.00 | 4 N |
| SCUBA35W865S55DBLK | 9405 | 7500.00 | 4 N |
| SCUBA35W930S55DWHT | 9405 | 7500.00 | 4 N |
| SCUBA35W940S55DWHT | 9405 | 7500.00 | 4 N |
| SCUBA35W865S55DWHT | 9405 | 7500.00 | 4 N |









RD-D

Attachment RD-Oval





Attachment RD-ASYM



RD-O

Attachment **BD-SYM**

TITT. Attachment SQ-O



DOWNLIGHTS

CYLINDRO TRACK LIGHT

With the high power LED, CYLINDRO offers various luminous intensity levels from 1500-3500 Lumen which is the perfect alternate to conventional HID lamps. Suitable for 3 circuit-4 wire universal tracks.

| Item Description | HSN Code | List Price in ₹ Per Unit | Case Lot No. of unit/s |
|--|-------------|-----------------------------|---------------------------|
| CYLINDROTS15WLED830S3WIRE38DWHT | 9405 | 4620.00 | 30 N |
| CYLINDROTS15WLED840S3WIRE38DWHT | 9405 | 4620.00 | 30 N |
| CYLINDROTS15WLED857S3WIRE38DWHT | 9405 | 4620.00 | 30 N |
| CYLINDROTS15WLED830S3WIRE38DBLK | 9405 | 4620.00 | 30 N |
| CYLINDROTS15WLED840S3WIRE38DBLK | 9405 | 4620.00 | 30 N |
| CYLINDROTS15WLED857S3WIRE38DBLK | 9405 | 4620.00 | 30 N |
| CYLINDROTS15WLED830S3WIRE38DGRY | 9405 | 4620.00 | 30 N |
| CYLINDROTS15WLED840S3WIRE38DGRY | 9405 | 4620.00 | 30 N |
| CYLINDROTS15WLED857S3WIRE38DGRY | 9405 | 4620.00 | 30 N |
| CYLINDROTS25WLED830S3WIRE38DWHT | 9405 | 5700.00 | 18 N |
| CYLINDROTS25WLED840S3WIRE38DWHT | 9405 | 5700.00 | 18 N |
| CYLINDROTS25WLED857S3WIRE38DWHT | 9405 | 5700.00 | 18 N |
| CYLINDROTS25WLED830S3WIRE38DBLK | 9405 | 5700.00 | 18 N |
| CYLINDROTS25WLED840S3WIRE38DBLK | 9405 | 5700.00 | 18 N |
| CYLINDROTS25WLED857S3WIRE38DBLK | 9405 | 5700.00 | 18 N |
| CYLINDROTS25WLED830S3WIRE38DGRY | 9405 | 5700.00 | 18 N |
| CYLINDROTS25WLED840S3WIRE38DGRY | 9405 | 5700.00 | 18 N |
| CYLINDROTS25WLED857S3WIRE38DGRY | 9405 | 5700.00 | 18 N |
| CYLINDROTS35WLED830S3WIRE38DWHT | 9405 | 7250.00 | 12 N |
| CYLINDROTS35WLED80S3WIRE38DWHT | 9405 | 7250.00 | 12 N |
| CYLINDROTS35WLED857S3WIRE38DWHT | 9405 | 7250.00 | 12 N |
| CYLINDROTS35WLED830S3WIRE38DBLK | 9405 | 7250.00 | 12 N |
| HONEYCOMBATTACHMENT15W | 9405 | 170.00 | 8 N |
| HONEYCOMBATTACHMENT25W/35W | 9405 | 170.00 | 8 N |
| Size: Dia 70 mm, Length 180 mm, Height 212 mm for 15 W Size: Dia 90 mm, Length 206 mm, height 212 mm for 25 W Size: Dia 90 mm, Length 216 mm, height 222 mm for 35 W | | | |



TRACK ACCESSORIES

| Item Description | HSN Code | List Price in ₹ Per Unit | Case Lot No. of unit/s |
|------------------------------|-------------|-----------------------------|---------------------------|
| 1MTR3PHASETRACKTSWHT | 9405 | 2300.00 | - |
| 2MTR3PHASETRACKTSWHT | 9405 | 4250.00 | - |
| 1MTR3PHASETRACKTSBLK | 9405 | 2300.00 | - |
| 2MTR3PHASETRACKTSBLK | 9405 | 4250.00 | - |
| ISHAPECONNECTOR3PHASETSWHT | 9405 | 765.00 | - |
| LSHAPECONNECTOR3PHASETSWHT | 9405 | 975.00 | - |
| ISHAPECONNECTOR3PHASETSBLK | 9405 | 765.00 | - |
| LSHAPECONNECTOR3PHASETSBLK | 9405 | 975.00 | - |
| ADJUSTABLESUSPENSIONKITTSWHT | 9405 | 715.00 | - |



Indoor Commercial LED Luminaires

DOWNLIGHTS

CYLINDRO PRO SURFACE/PENDANT

Surface/pendant downlight with white/black powder coated polycarbonate housing and pressure die-cast heat sink having high efficiency.

| Item Description | HSN Code | List Price in ₹ Per Unit | Case Lot No. of unit/s |
|---|-------------|-----------------------------|---------------------------|
| CYLINDROPROPENDTDLP15WLED830S45DBLK | 9405 | 3800.00 | 20 N |
| CYLINDROPROPENDTDLP15WLED840S45DBLK | 9405 | 3800.00 | 20 N |
| CYLINDROPROPENDTDLP15WLED857S45DBLK | 9405 | 3800.00 | 20 N |
| CYLINDROPROPENDTDLP25WLED830S45DBLK | 9405 | 4500.00 | 18 N |
| CYLINDROPROPENDTDLP25WLED840S45DBLK | 9405 | 4500.00 | 18 N |
| CYLINDROPROPENDTDLP25WLED857S45DBLK | 9405 | 4500.00 | 18 N |
| CYLINDROPROSURFDLS15WLED830S45DBLK | 9405 | 3700.00 | 20 N |
| CYLINDROPROSURFDLS15WLED840S45DBLK | 9405 | 3700.00 | 20 N |
| CYLINDROPROSURFDLS15WLED857S45DBLK | 9405 | 3700.00 | 20 N |
| CYLINDROPROSURFDLS25WLED830S45DBLK | 9405 | 4400.00 | 18 N |
| CYLINDROPROSURFDLS25WLED840S45DBLK | 9405 | 4400.00 | 18 N |
| CYLINDROPROSURFDLS25WLED857S45DBLK | 9405 | 4400.00 | 18 N |
| Fixture size in Ø 110 mm, height 120 mm | | | |



CYLINDRO PRO SURFACE

Surface mounted downlight with white powder coated polycarbonate housing and pressure die-cast heat sink having high efficiency.

| Item Description | HSN Code | List Price in ₹ Per Unit | Case Lot No. of unit/s |
|---|-------------|-----------------------------|---------------------------|
| CYLINDROPROSURFDLS35WLED840S45DWHT | 9405 | 6850.00 | 12 N |
| CYLINDROPROSURFDLS35WLED857S45DWHT | 9405 | 6850.00 | 12 N |
| CYLINDROPROSURFDLS45WLED840S45DWHT | 9405 | 7950.00 | 8 N |
| CYLINDROPROSURFDLS45WLED857S45DWHT | 9405 | 7950.00 | 8 N |
| Fixture size in Ø 110 mm, height 120 mm | | | |





Indoor Commercial LED Luminaires

DIMMABLE LUMINAIRES PORTFOLIO

INTEGRA GRAND/NEO 15 W

Recess mounted downlighter with pressure die-cast aluminium heat sink & PC diffuser in white powder coated finish with integrated driver.

| Item Description | HSN Code | List Price in ₹ Per Unit | Case Lot No. of unit/s |
|---|-------------|-----------------------------|---------------------------|
| INTEGRAGRANDDLR15WLED840MOD | 9405 | 1215.00 | 6 N |
| INTEGRAGRANDDLR15WLED857MOD | 9405 | 1215.00 | 6 N |
| INTEGRANEODLR15WLED840MOD | 9405 | 850.00 | 8 N |
| INTEGRANEODLR15WLED857MOD | 9405 | 850.00 | 8 N |
| DALIDRIVERNM80V/160MA | 9405 | 3800.00 | 20 N |
| Ceiling cutout: Ø 175 mm, height 92 mm ORDERING - MODULE + DRIVER (DIMMABLE DRIVER TO BE ORDERED SEPARATELY) | | | |

ORDERING : MODULE + DRIVER (DIMMABLE DRIVER TO BE ORDERED SEPARATELY) Driver packed separately

ENDURA DL NEO 15 W

Recess mounted pressure die-cast aluminium luminaire in powder coated white finish in round profile with optimized heat sink for efficient heat dissipation and separate replaceable electronic driver compatible for Analog/DALI Dimming.

| Item Description | HSN Code | List Price in ₹ Per Unit | Case Lot No. of unit/s |
|--------------------------|-------------|-----------------------------|---------------------------|
| ENDURANEODLR15WLED840MOD | 9405 | 1215.00 | 12 N |
| ENDURANEODLR15WLED857MOD | 9405 | 1215.00 | 12 N |
| DALIDRIVER15WD | 9405 | 4250.00 | 20 N |
| ANALOGDRIVERNM12/15W | 9405 | 1000.00 | 20 N |
| | | | |

Ceiling cutout: Ø 155 mm, height 45 mm ORDERING : MODULE + DRIVER (DIMMABLE DRIVER TO BE ORDERED SEPARATELY)

Driver packed separately

ENDURA DL NEO 25 W

Recess mounted LED downlighter elegantly designed pressure die-cast AI. heat sink for efficient heat dissipation and separate replaceable electronic driver compatible for Analog/DALI Dimming.

| Item Description | HSN Code | List Price in ₹ Per Unit | Case Lot No. of unit/s |
|---|-------------|-----------------------------|---------------------------|
| ENDURANEODLR25WLED840MOD | 9405 | 1735.00 | 8 N |
| ENDURANEODLR25WLED857MOD | 9405 | 1735.00 | 8 N |
| ANALOGDRIVERNM21/25W | 9405 | 1000.00 | 20 N |
| Ceiling cutout: Ø 180 mm, height 68 mm for 25 W | | | |

ORDERING : MODULE + DRIVER (DIMMABLE DRIVER TO BE ORDERED SEPARATELY) Driver packed separately

VENUS NEO 2X2

New generation recess mounting luminaire with high brightness SMD LEDs as light source, suitable for Armstrong/Grid ceiling compatible for Analog / DALI Dimming.

| Item Description | HSN Code | List Price in ₹ Per Unit | Case Lot No. of unit/s |
|----------------------------------|-------------|-----------------------------|---------------------------|
| VENUSNEO2X2PLR18-48WLED840MOD | 9405 | 2870.00 | 2 N |
| VENUSNEO2X2PLR18-48WLED857MOD | 9405 | 2870.00 | 2 N |
| VENUSNEO2X2PLR18-48WLED865MOD | 9405 | 2870.00 | 2 N |
| DALIDRIVERSQ10-50V/800MA10161099 | 9405 | 4250.00 | 40 N |
| LEDDRIVER36WANALOG | 9405 | 1850.00 | 20 N |
| | | | |

Fixture size: (LxWxH) in (595x595x65) mm

ORDERING : MODULE + DRIVER (DIMMABLE DRIVER TO BE ORDERED SEPARATELY) Driver packed separately









DIMMABLE LUMINAIRES PORTFOLIO

SPARKLE PRO ADJUSTABLE (DALI Driver to be ordered separately)

Recess mounted adjustable LED downlights made of extruded Aluminium housing and high power LED as a light source with clear diffuser and separate electronic driver.

| Item Description | HSN Code | List Price in ₹ Per Unit | Case Lot No. of unit/s |
|--|-------------|-----------------------------|---------------------------|
| SPARKLEPROADJDLR12W830MOD40DWHTNEEM | 9405 | 1085.00 | 20 N |
| SPARKLEPROADJDLR12W840MOD40DWHTNEEM | 9405 | 1085.00 | 20 N |
| SPARKLEPROADJDLR12W857MOD40DWHTNEEM | 9405 | 1085.00 | 20 N |
| DALIDRIVERSQ10-50V/300MA10181251 | 9405 | 3800.00 | 30 N |
| SPARKLEPROADJDLR20W830MOD40DWHTNEEM | 9405 | 1085.00 | 20 N |
| SPARKLEPROADJDLR20W840MOD40DWHTNEEM | 9405 | 1085.00 | 20 N |
| SPARKLEPROADJDLR20W857MOD40DWHTNEEM | 9405 | 1085.00 | 20 N |
| DALIDRIVERSQ10-50V/500MA10161102 | 9405 | 3950.00 | 30 N |
| SPARKLEPROADJDLR30W830MOD40DWHTNEEM | 9405 | 1755.00 | 10 N |
| SPARKLEPROADJDLR30W840MOD40DWHTNEEM | 9405 | 1755.00 | 10 N |
| SPARKLEPROADJDLR30W857MOD40DWHTNEEM | 9405 | 1755.00 | 10 N |
| SPARKLEPROADJDLR30W840MOD40DBLKNEEM | 9405 | 630.00 | 10 N |
| DALIDRIVERSQ10-50V/800MA10161099 | 9405 | 4150.00 | 30 N |
| Ceiling cutout: Ø 85 mm, height 70 mm for 12 W. Ceiling cutout: Ceiling cutout: Ø 150 mm, height 98 mm for 30 W | Ø 120 mm, | height 90 mm | for 20 W |

cutout: Ø 150 mm, height 98 mm for 30 V ORDERING : MODULE + DRIVER (DALI DRIVER TO BE ORDERED SEPARATELY)

Driver packed separately

SPARKLE PRO FIX (DALI Driver to be ordered separately)


Recess mounted fixed LED downlight made of extruded Aluminium housing and high power LED as a light source with clear diffuser and separate electronic driver.

| Item Description | HSN Code | List Price in ₹ Per Unit | Case Lot No. of unit/s |
|-------------------------------------|-------------|-----------------------------|---------------------------|
| SPARKLEPROFIXDLR12W830MOD40DWHTNEEM | 9405 | 930.00 | 20 N |
| SPARKLEPROFIXDLR12W840MOD40DWHTNEEM | 9405 | 930.00 | 20 N |
| SPARKLEPROFIXDLR12W857MOD40DWHTNEEM | 9405 | 930.00 | 20 N |
| DALIDRIVERSQ10-50V/300MA10181251 | 9405 | 3800.00 | 30 N |
| SPARKLEPROFIXDLR20W830MOD40DWHTNEEM | 9405 | 930.00 | 20 N |
| SPARKLEPROFIXDLR20W840MOD40DWHTNEEM | 9405 | 930.00 | 20 N |
| SPARKLEPROFIXDLR20W857MOD40DWHTNEEM | 9405 | 930.00 | 20 N |
| DALIDRIVERSQ10-50V/500MA10161102 | 9405 | 3950.00 | 30 N |
| SPARKLEPROFIXDLR30W830MOD40DWHTNEEM | 9405 | 1445.00 | 8 N |
| SPARKLEPROFIXDLR30W840MOD40DWHTNEEM | 9405 | 1445.00 | 8 N |
| SPARKLEPROFIXDLR30W857MOD40DWHTNEEM | 9405 | 1445.00 | 8 N |
| DALIDRIVERSQ10-50V/800MA10161099 | 9405 | 4150.00 | 30 N |
| | | | |

Ceiling cutout: Ø 105 mm, height 65 mm for 12 W. Ceiling cutout: Ø 130 mm, height 75 mm for 20 W Ceiling cutout: Ø 185 mm, height 95 mm for 30 W

ORDERING : MODULE + DRIVER (DALI DRIVER TO BE ORDERED SEPARATELY) Driver packed separately





Havells offers a wide variety of solutions for all industrial applications. Havells ensures the enhancement of productivity of the employees with the right light to keep them motivated. The use of Havells Industrial lights provides fatigue-free and accident-free environment.

WEATHER PROOF / WELL GLASS

MAGNUM LED 24 W IP66

Energy saving, environmental friendly, long life, corrosion resistant, impact proof, surface mounting IP66 luminaire with PC housing in opal finish suitable for wet location with high brightness LEDs.

| Item | HSN | List Price in | Case Lot |
|-----------------------|------|---------------|---------------|
| Description | Code | ₹ Per Unit | No. of unit/s |
| MAGNUMILS24WLED857SPC | 9405 | 4115.00 | 12 N |

MAGNUM GRAND NEO

Energy saving, environmental friendly, long life, corrosion resistant, impact proof, surface mounting IP66 luminaire with PC housing & opal finish cover suitable for wet location. LEDs used as light source.

| Item Description | HSN Code | List Price in ₹ Per Unit | Case Lot No. of unit/s |
|--------------------------------|-------------|-----------------------------|---------------------------|
| MAGNUMGRANDNEOIP6520WLED857SPC | 9405 | 3190.00 | 6 N |
| MAGNUMGRANDNEOIP6620WLED857SPC | 9405 | 3500.00 | 6 N |
| MAGNUMGRANDNEOIP6632WLED857SPC | 9405 | 4000.00 | 6 N |
| MAGNUMGRANDNEOIP6632WLED865SPC | 9405 | 4000.00 | 6 N |
| MAGNUMGRANDNEOIP6636WLED857SPC | 9405 | 4000.00 | 6 N |
| MAGNUMGRANDNEOIP6636WLED840SPC | 9405 | 4000.00 | 6 N |
| MAGNUMGRANDNEOIP6640WLED865SPC | 9405 | 4100.00 | 6 N |
| MAGNUMGRANDNEOIP6640WLED857SPC | 9405 | 4100.00 | 6 N |





MAGNUM GRAND GOLD

Energy saving, environmental friendly, long life, corrosion resistant, impact proof, surface mounting IP66 luminaire with PC housing & opal finish cover suitable for wet location.

| Item Description | HSN Code | List Price in ₹ Per Unit | Case Lot No. of unit/s |
|---------------------------------|-------------|-----------------------------|---------------------------|
| MAGNUMGRANDGOLD20WLED857SPCLILO | 9405 | 3000.00 | 12 N |
| MAGNUMGRANDGOLD32WLED857SPCLILO | 9405 | 3600.00 | 12 N |
| MAGNUMGRANDGOLD36WLED857SPCLILO | 9405 | 3600.00 | 12 N |
| MAGNUMGRANDGOLD40WLED857SPCLILO | 9405 | 3700.00 | 12 N |

MAGNUM RETRO (Single Side Connection)

Environmental friendly, long life, corrosion resistant, impact proof, surface mounting IP65 luminaire with PC housing & opal finish cover suitable for LED tubes.

| Item Description | HSN Code | List Price in ₹ Per Unit | Case Lot No. of unit/s |
|----------------------|-------------|-----------------------------|---------------------------|
| MAGNUMRETROILS1X18PC | 9405* | 1625.00 | 6 N |
| MAGNUMRETROILS2X18PC | 9405* | 2030.00 | 6 N |

STUPE WELL GLASS

Environmental friendly, energy saving long life corrosion resistant, vertical surface mounting pressure die-cast aluminium housing and control gear compartment well glass luminaires with high power LED as light source.

| Item Description | HSN Code | List Price in ₹ Per Unit | Case Lot No. of unit/s |
|------------------------------|-------------|-----------------------------|---------------------------|
| STUPEWGP30WLED757SSYMTOPCGRY | 9405 | 2900.00 | 6 N |
| STUPEWGP35WLED757SSYMTOPCGRY | 9405 | 2950.00 | 6 N |
| STUPEWGP40WLED757SSYMTOPCGRY | 9405 | 3000.00 | 6 N |







WELL GLASS / HIGHBAY LIGHTING

ENDURA WELL GLASS NEO - IP65

Environmental friendly, energy saving long life corrosion resistant, vertical/horizontal surface mounting pressure die-cast aluminium well glass luminaires with high power LED as light source.

| Item Description | HSN Code | List Price in ₹ Per Unit | Case Lot No. of unit/s |
|-------------------------------------|-------------|-----------------------------|---------------------------|
| ENDURAWELLGLASSNEOTSS26WLED757SPCSO | 9405 | 2900.00 | 6 N |
| ENDURAWELLGLASSNEOTSS35WLED757SPCSO | 9405 | 3100.00 | 6 N |
| ENDURAWELLGLASSNEOTSS40WLED757SPCSO | 9405 | 3200.00 | 6 N |
| ENDURAWELLGLASSNEOP70WLED757PPC | 9405 | 7000.00 | 6 N |

ILIOSBAY LE LOWBAY - IP65

Energy saving, environment friendly & robust IP65 protected LED midbay with PDC housing suitable for ceiling (Surface/Suspended) mount & available in Wide beam optics.

| Item Description | HSN Code | List Price in ₹ Per Unit | Case Lot No. of unit/s |
|---------------------------------|-------------|-----------------------------|---------------------------|
| ILIOSBAYLEHBP60WLED857SP90DTOPC | 9405 | 8100.00 | 2 N |
| ILIOSBAYLEHBP70WLED857SP90DTOPC | 9405 | 8300.00 | 2 N |

ILIOSBAY COB LOWBAY - IP65

Energy saving, environment friendly & robust IP65 protected LED-COB midbay with PDC housing suitable for ceiling (Surface/Suspended) mount & available in Wide & Narrow beam optics.

| Item Description | HSN Code | List Price in ₹ Per Unit | Case Lot No. of unit/s |
|-----------------------------------|-------------|-----------------------------|---------------------------|
| ILIOSBAYHBP50WCOB857SP60DLENSWHT | 9405 | 8700.00 | 2 N |
| ILIOSBAYHBP50WCOB857SP90DLENSWHT | 9405 | 8700.00 | 2 N |
| ILIOSBAYHBP50WCOB857SP120DLENSWHT | 9405 | 8700.00 | 2 N |
| ILIOSBAYHBP60WCOB857SP60DLENSWHT | 9405 | 8900.00 | 2 N |
| ILIOSBAYHBP60WCOB857SP90DLENSWHT | 9405 | 8900.00 | 2 N |
| ILIOSBAYHBP60WCOB857SP120DLENSWHT | 9405 | 8900.00 | 2 N |

ILIOSBAY PLUS HIGHBAY - IP65

Energy saving, environment friendly & robust IP65 protected LED midbay with PDC housing suitable for ceiling (Surface/Suspended) mount & available in Wide beam optics.

| Item Description | HSN Code | List Price in ₹ Per Unit | Case Lot No. of unit/s |
|-----------------------------------|-------------|-----------------------------|---------------------------|
| ILIOSBAYPLUSHBP50WLED857SP90DTOPC | 9405 | 8700.00 | 2 N |
| ILIOSBAYPLUSHBP60WLED857SP90DTOPC | 9405 | 8900.00 | 2 N |
| ILIOSBAYPLUSHBP70WLED857SP90DTOPC | 9405 | 9200.00 | 2 N |
| ILIOSBAYPLUSHBP80WLED857SP90DTOPC | 9405 | 9400.00 | 2 N |

BAYBRITE FLARE HIGHBAY

Baybrite Flare is a special designed, multi- functional LED luminaire to replace Industrial Low- bay.

| Item Description | HSN Code | List Price in ₹ Per Unit | Case Lot No. of unit/s |
|------------------------------------|-------------|-----------------------------|---------------------------|
| BAYBRITEFLAREHB70WLED857PWBBOLTG | 9405 | 9400.00 | 2 N |
| BAYBRITEFLAREHB80WLED857PWBBOLTG | 9405 | 9900.00 | 2 N |
| BAYBRITEFLAREHB90WLED857SWBBOLTG | 9405 | 10500.00 | 2 N |
| BAYBRITEFLAREHB100WLED757APWBBOLTG | 9405 | 12000.00 | 2 N |
| BAYBRITEFLAREHB120WLED757APWBBOLTG | 9405 | 12800.00 | 2 N |









HIGHBAY LIGHTING

SAUCER NEXTGEN HIGHBAY

Next generation, energy saving, environment friendly & robust highbay LED with PDC housing suitable for ceiling (Surface/Suspended) mounting with system efficacy upto 150 lm/W.

| Item Description | HSN Code | List Price in ₹ Per Unit | Case Lot No. of unit/s |
|-------------------------------------|-------------|-----------------------------|---------------------------|
| SAUCERGENXPROHBP80WLED757P90DBOLTG | 9405 | 12500.00 | 1 N |
| SAUCERGENXPROHBP80WLED757P60DBOLTG | 9405 | 12500.00 | 1 N |
| SAUCERGENXPROHBP100WLED757P90DBOLTG | 9405 | 13500.00 | 1 N |
| SAUCERGENXPROHBP100WLED757P60DBOLTG | 9405 | 13500.00 | 1 N |
| SAUCERGENXPROHBP120WLED757P90DBOLTG | 9405 | 14000.00 | 1 N |
| SAUCERGENXPROHBP120WLED757P60DBOLTG | 9405 | 14000.00 | 1 N |



RADIOSO HIGHBAY

Energy saving, environment friendly & robust highbay LED luminaire with high efficacy suitable for ceiling (Surface/Suspended).

| Item Description | HSN Code | List Price in ₹ Per Unit | Case Lot No. of unit/s |
|----------------------------|-------------|-----------------------------|---------------------------|
| RADIOSOHB150WLED75760DBOPC | 9405 | 13800.00 | 1 N |
| RADIOSOHB150WLED75790DBOPC | 9405 | 13800.00 | 1 N |
| RADIOSOHB180WLED75760DBOPC | 9405 | 20000.00 | 1 N |
| RADIOSOHB180WLED75790DBOPC | 9405 | 20000.00 | 1 N |
| RADIOSOHB200WLED75760DBOPC | 9405 | 21000.00 | 1 N |
| RADIOSOHB200WLED75790DBOPC | 9405 | 21000.00 | 1 N |



SAUCER

Energy saving, environment friendly & robust Highbay/Mediumbay LED IP65 luminaire with high efficacy.

| Item Description | HSN Code | List Price in ₹ Per Unit | Case Lot No. of unit/s |
|------------------------------------|-------------|-----------------------------|---------------------------|
| SAUCERPLUSHBP150WLED85790DTOLTG | 9405 | 14900.00 | 1 N |
| SAUCERPLUSHBP150WLED85760DTOLTG | 9405 | 14900.00 | 1 N |
| BAYBRITESAUCERHBP180WLED757WBTOLTG | 9405 | 23800.00 | 1 N |
| BAYBRITESAUCERHBP180WLED757NBTOLTG | 9405 | 23800.00 | 1 N |
| BAYBRITESAUCERHBP200WLED757NBTOLTG | 9405 | 25000.00 | 1 N |
| BAYBRITESAUCERHBP200WLED757WBTOLTG | 9405 | 25000.00 | 1 N |



JETA VALOUR HIGHBAY INTEGRAL

Jeta Valour Int is a special designed, multi- functional LED luminaire to replace under canopy or Industrial Bay -Lights.

| Item Description | HSN Code | List Price in ₹ Per Unit | Case Lot No. of unit/s |
|---------------------------------|-------------|-----------------------------|---------------------------|
| JETAVALOURHB180WLED757PINTNBLTG | 9405 | 22500.00 | 1 N |
| JETAVALOURHB180WLED757PINTWBLTG | 9405 | 22500.00 | 1 N |
| JETAVALOURHB200WLED757PINTNBLTG | 9405 | 24500.00 | 1 N |
| JETAVALOURHB200WLED757PINTWBLTG | 9405 | 24500.00 | 1 N |



HIGHBAY LIGHTING

JETA VALOUR HIGHBAY NON-INTEGRAL

Energy saving, environmental friendly, long life, exclusive innovative die-cast aluminium non integral IP66 highbay, suitable for Industrial applications.

| Item Description | HSN Code | List Price in ₹ Per Unit | Case Lot No. of unit/s |
|-----------------------------------|-------------|-----------------------------|---------------------------|
| JETA VALOUR HB180WLED757MODNBLTG | 9405 | 15600.00 | 1 N |
| JETA VALOUR HB180WLED757MODWBLTG | 9405 | 15600.00 | 1 N |
| JETA VALOUR HB200WLED757MODNBLTG | 9405 | 16000.00 | 1 N |
| JETA VALOUR HB200WLED757MODWBLTG | 9405 | 16000.00 | 1 N |
| ASSEMBLED CG BOX VALOUR HB 180W P | 9405 | 10100.00 | 1 N |
| ASSEMBLED CG BOX VALOUR HB 200W P | 9405 | 10100.00 | 1 N |



HEXA 10 W - IP66

Environmental friendly, ultra modern, energy saving, surface mounted, decorative hexagon bulk head Back-lit LED luminaire comprising of high brightness LEDs.

| Item | HSN | List Price in | Case Lot |
|-------------------------|------|---------------|---------------|
| Description | Code | ₹ Per Unit | No. of unit/s |
| HEXAFT10WLED857SSYMBOPC | 9405 | 1400.00 | 8 N |





CLEAN ROOM LIGHTS

LED CLEAN ROOM BOTTOM OPENING MS FRAME

IP65, dust free & zero maintenance LED Clean Room Bottom Opening luminaire for hygenic facilities.

| Item Description | HSN Code | List Price in ₹ Per Unit | Case Lot No. of unit/s |
|---------------------------|-------------|-----------------------------|---------------------------|
| BOCR1X1R18W LED857SPCMS | 9405 | 4400.00 | 2 N |
| BOCR2X2R34WLED857SPCMS | 9405 | 8200.00 | 2 N |
| BOCR2X2R36WLED857SPCMSGEN | 9405 | 8200.00 | 2 N |
| BOCR2X2R42WLED857SPCMSGEN | 9405 | 8300.00 | 2 N |
| BOCR2X2R60WLED857SPCMSGEN | 9405 | 9960.00 | 2 N |
| BOCR2X2R80WLED857SPCMSGEN | 9405 | 10320.00 | 2 N |
| BOCR4X1R34WLED857SPCMS | 9405 | 9600.00 | 2 N |
| BOCR4X1R42WLED857SPCMS | 9405 | 9800.00 | 2 N |
| BOCR4X1R60WLED857SPCMS | 9405 | 12200.00 | 2 N |
| BOCR4X1R80WLED857SPCMS | 9405 | 12400.00 | 2 N |
| BOCR2X1R28WLED857SPCMS | 9405 | 6900.00 | 2 N |
| BOCR2X1R34WLED857SPCMS | 9405 | 7440.00 | 2 N |
| BOCR2X1R42WLED857SPCMS | 9405 | 7680.00 | 2 N |



LED CLEAN ROOM BOTTOM OPENING SS FRAME

IP65, dust free & zero maintenance LED Clean Room Bottom Opening luminaire for hygenic facilities.

| Item Description | HSN Code | List Price in ₹ Per Unit | Case Lot No. of unit/s |
|---------------------------|-------------|-----------------------------|---------------------------|
| BOCR1X1R18WLED857SPCSS | 9405 | 5900.00 | 2 N |
| BOCR2X2R34WLED857SPCSS | 9405 | 10900.00 | 2 N |
| BOCR2X2R36WLED857SPCSSGEN | 9405 | 10900.00 | 2 N |
| BOCR2X2R42WLED857SPCSSGEN | 9405 | 12600.00 | 2 N |
| BOCR2X2R60WLED857SPCSSGEN | 9405 | 13400.00 | 2 N |
| BOCR2X2R80WLED857SPCSSGEN | 9405 | 13600.00 | 2 N |
| BOCR2X1R28WLED857SPCSS | 9405 | 10300.00 | 2 N |
| BOCR2X1R34WLED857SPCSS | 9405 | 10440.00 | 2 N |
| BOCR2X1R42WLED857SPCSS | 9405 | 10800.00 | 2 N |
| BOCR4X1R34WLED857SPCSS | 9405 | 11520.00 | 2 N |
| BOCR4X1R42WLED857SPCSS | 9405 | 11640.00 | 2 N |
| BOCR4X1R60WLED857SPCSS | 9405 | 13920.00 | 2 N |
| BOCR4X1R80WLED857SPCSS | 9405 | 14280.00 | 2 N |

LED CLEAN ROOM TOP OPENING MS FRAME

IP65, dust free & zero maintenance LED Clean Room Top Opening luminaire for hygenic facilities.

| Item Description | HSN Code | List Price in ₹ Per Unit | Case Lot No. of unit/s |
|---------------------------|-------------|-----------------------------|---------------------------|
| TOCR1X1R18WLED857SPCMS | 9405 | 5500.00 | 2 N |
| TOCR2X2R34WLED857SPCMS | 9405 | 10000.00 | 2 N |
| TOCR2X2R36WLED857SPCMSGEN | 9405 | 10000.00 | 2 N |
| TOCR2X2R42WLED857SPCMSGEN | 9405 | 10000.00 | 2 N |
| TOCR2X2R60WLED857SPCMSGEN | 9405 | 12600.00 | 2 N |
| TOCR2X2R80WLED857SPCMSGEN | 9405 | 12800.00 | 2 N |
| TOCR4X1R34WLED857SPCMS | 9405 | 11000.00 | 2 N |
| TOCR4X1R42WLED857SPCMS | 9405 | 11200.00 | 2 N |
| TOCR4X1R60WLED857SPCMS | 9405 | 13400.00 | 2 N |
| TOCR4X1R80WLED857SPCMS | 9405 | 13800.00 | 2 N |
| TOCR2X1R28WLED857SPCMS | 9405 | 9200.00 | 2 N |
| TOCR2X1R34WLED857SPCMS | 9405 | 9500.00 | 2 N |
| TOCR2X1R42WLED857SPCMS | 9405 | 9600.00 | 2 N |





LED CLEAN ROOM TOP OPENING SS FRAME

IP65, dust free & zero maintenance LED Clean Room Top Opening luminaire for hygenic facilities.

| Item Description | HSN Code | List Price in ₹ Per Unit | Case Lot No. of unit/s |
|---------------------------|-------------|-----------------------------|---------------------------|
| TOCR1X1R18WLED857SPCSS | 9405 | 6000.00 | 2 N |
| TOCR2X2R34WLED857SPCSS | 9405 | 12550.00 | 2 N |
| TOCR2X2R36WLED857SPCSSGEN | 9405 | 12600.00 | 2 N |
| TOCR2X2R42WLED857SPCSSGEN | 9405 | 13100.00 | 2 N |
| TOCR2X2R60WLED857SPCSSGEN | 9405 | 14200.00 | 2 N |
| TOCR2X2R80WLED857SPCSSGEN | 9405 | 14300.00 | 2 N |
| TOCR4X1R34WLED857SPCSS | 9405 | 13500.00 | 2 N |
| TOCR4X1R42WLED857SPCSS | 9405 | 13700.00 | 2 N |
| TOCR4X1R60WLED857SPCSS | 9405 | 15800.00 | 2 N |
| TOCR4X1R80WLED857SPCSS | 9405 | 16000.00 | 2 N |
| TOCR2X1R28WLED857SPCSS | 9405 | 11000.00 | 2 N |
| TOCR2X1R34WLED857SPCSS | 9405 | 12360.00 | 2 N |
| TOCR2X1R42WLED857SPCSS | 9405 | 12600.00 | 2 N |

LED CLEAN ROOM BOTTOM OPENING SCREW LESS

IP65, dust free & zero maintenance LED Clean Room Bottom Opening luminaire for hygenic facilities.

| Item Description | HSN Code | List Price in ₹ Per Unit | Case Lot No. of unit/s |
|------------------------------|-------------|-----------------------------|---------------------------|
| BOCR1x1R18WLED857SPCMSSL | 9405 | 5400.00 | 2 N |
| BOCR2X2R34WLED857SPCMSSL | 9405 | 9200.00 | 2 N |
| BOCR2X2R42WLED857SPCMSGENSSL | 9405 | 9700.00 | 2 N |
| BOCR2X2R60WLED857SPCMSGENSSL | 9405 | 10900.00 | 2 N |
| BOCR2X2R80WLED857SPCMSGENSSL | 9405 | 11200.00 | 2 N |
| BOCR2X1R28WLED857SPCMSSL | 9405 | 6900.00 | 2 N |
| BOCR2X1R34WLED857SPCMSSL | 9405 | 7100.00 | 2 N |
| BOCR2X1R42WLED857SPCMSSL | 9405 | 7500.00 | 2 N |
| BOCR4X1R34WLED857SPCMSSL | 9405 | 10900.00 | 2 N |
| BOCR4X1R42WLED857SPCMSSL | 9405 | 11500.00 | 2 N |
| BOCR4X1R60WLED857SPCMSSL | 9405 | 13200.00 | 2 N |
| BOCR4X1R80WLED857SPCMSSL | 9405 | 14000.00 | 2 N |



LED TOCR H - CLEAN (WITH SEPARATE DIFFUSER)

Dust free & zero maintenance LED Clean Room Top Opening luminaire for hygenic facilities.

| Item Description | HSN Code | List Price in ₹ Per Unit | Case Lot No. of unit/s |
|----------------------------------|-------------|-----------------------------|---------------------------|
| TOCRW/OFRAME2X1R28WCBLED857SPCMS | 9405 | On Request | 2 N |
| TOCRW/OFRAME2X1R34WCBLED857SPCMS | 9405 | On Request | 2 N |
| TOCRW/OFRAME2X2R42WCBLED857SPCMS | 9405 | On Request | 2 N |
| TOCRW/OFRAME2X2R60WCBLED857SPCMS | 9405 | On Request | 2 N |
| TOCRW/OFRAME2X2R80WCBLED857SPCMS | 9405 | On Request | 2 N |

LED TOCR TUNABLE WHITE

TOCR with dimming option for hygenic facilities.

| Item Description | HSN Code | List Price in ₹ Per Unit | Case Lot No. of unit/s |
|--|-------------|-----------------------------|---------------------------|
| TOCR2X2R42WTUNABLEWHITELED3K-5.7KDPCMS | 9405 | 16400 | 2 N |
| TOCR2X2R42WTUNABLEWHITELED3K-5.7KDPCSS | 9405 | 18000 | 2 N |
| TOCR2X1R42WTUNABLEWHITELED3K-5.7KDPCMS | 9405 | 14000 | 2 N |
| | | | |

To be used with - BLUETOOTH1-10VCONV42W





CLEAN ROOM LIGHTS

WALKABLE TRAY FOR TOP OPENING CLEAN ROOM FIXTURES


| Item Description | HSN Code | Size (mm) | List Price in ₹ Per Unit | Case Lot No. of unit/s |
|------------------------|-------------|--------------|-----------------------------|---------------------------|
| WalkableTray1X1RTOCRMS | 9405* | 440x440 | 3100.00 | 2 N |
| WalkableTray1X2RTOCRMS | 9405* | 440x740 | 3900.00 | 2 N |
| WalkableTray1X4RTOCRMS | 9405* | 440x1340 | 4200.00 | 2 N |
| WalkableTray2X2RTOCRMS | 9405* | 740x740 | 4000.00 | 2 N |



TOP COVER FOR TOP OPENING CLEAN ROOM FIXTURES

| Item Description | HSN Code | Size (mm) | List Price in ₹ Per Unit | Case Lot No. of unit/s |
|----------------------|-------------|--------------|-----------------------------|---------------------------|
| TOPCOVERTRAY1X1RTOCR | 9405* | 440x440 | 1000.00 | 2 N |
| TOPCOVERTRAY1X2RTOCR | 9405* | 440x740 | 1800.00 | 2 N |
| TOPCOVERTRAY1X4RTOCR | 9405* | 440x1340 | 2300.00 | 2 N |
| TOPCOVERTRAY2X2RTOCR | 9405* | 740x740 | 2200.00 | 2 N |









Introducing the wide range of outdoor application LED products from Havells. This range is yet another example of Havells' endeavour to innovate and provide world class lighting solution, energy efficient products and robust design. These lights are designed to fulfill the lighting applications of City Road Lighting, Periphery Lighting, Prestigious Heritage Area Outdoor Lighting and Urban Landscape Lighting.

STREET LIGHTS

ENDURA PEARL 25 W MP

New generation energy saving and environmental friendly long life LED street light made up of pressure die cast aluminium housing with high efficient LED as lighting source and PC cover having TOP Opening seperate driver compartment with IP66 protection and impact resistance of IK07.

| Item Description | HSN Code | List Price in ₹ Per Unit | Case Lot No. of unit/s |
|--------------------------------------|-------------|-----------------------------|---------------------------|
| ENDURAPEARLSL15WLED757SASYTOPCMP | 9405 | 2100.00 | 1 N |
| ENDURAPEARLSL20WLED757SASYTOPCMP | 9405 | 2200.00 | 1 N |
| ENDURAPEARLSL25WLED757SASYTOPCMP | 9405 | 2300.00 | 1 N |
| Suitable for pole dia Ø 43 mm (max.) | | | |

ENDURA PEARL 30 W MP

New generation energy saving and environmental friendly long life LED street light made up of pressure die cast aluminium housing with high efficient LED as lighting source and PC cover having TOP Opening seperate driver compartment with IP66 protection and impact resistance of IK07.

| Item Description | HSN Code | List Price in ₹ Per Unit | Case Lot No. of unit/s |
|--|-------------|-----------------------------|---------------------------|
| ENDURAPEARLSL30WLED757SASYTOPCMP | 9405 | 2800.00 | 1 N |
| Suitable for pole dia $Ø$ 43 mm (max.) | | | |

ENDURA CITYLITE PLATINUM PLUS

Energy saving and environmental friendly long life LED street light made up of pressure die cast aluminium housing with high power LED as lighting source and lens embedded PC cover having IP65 protection and Impact resistance of IK07 with 10KV Built-in Surge Protection Device.

| Item Description | HSN Code | List Price in ₹ Per Unit | Case Lot No. of unit/s |
|---|-------------|-----------------------------|---------------------------|
| ENDURACITYLITEPLATPLUSSL30WLED757SASYBOPC | 9405 | 3200.00 | 1 N |
| ENDURACITYLITEPLATPLUSSL35WLED757SASYBOPC | 9405 | 3400.00 | 1 N |
| Suitable for pole dia (1/12 mm (max) | | | |

Suitable for pole dia Ø 43 mm (max.)

ENDURA PEARL NEO

New generation energy saving and environmental friendly long life LED street light made up of pressure die cast aluminium housing with high power LED as lighting source and lens embedded PC cover having TOP Opening seperate driver compartment with IP66 protection and impact resistance of IK07.

| Item Description | HSN Code | List Price in ₹ Per Unit | Case Lot No. of unit/s |
|---------------------------------------|-------------|-----------------------------|---------------------------|
| ENDURAPEARLNEOSL40WLED757PASYTOPC | 9405 | 4300.00 | 1 N |
| ENDURAPEARLNEOSL45WLED757PASYTOPC | 9405 | 4600.00 | 1 N |
| ENDURAPEARLNEOSL48WLED757PASYTOPC | 9405 | 5000.00 | 1 N |
| ENDURAPEARLNEOSL60WLED757PASYTOPC | 9405 | 6500.00 | 1 N |
| Suitable for pole dia (1/13 mm (max) | | | |

Suitable for pole dia Ø 43 mm (max.)

ENDURA CITYLINER NEO

New generation energy saving and environmental friendly long life LED street light made up of pressure die cast aluminium housing with high efficient LED as lighting source with toughened glass having IP66 protection and impact resistance of IK07.

| ltem Description | HSN Code | List Price in ₹ Per Unit | Case Lot No. of unit/s |
|---|-------------|-----------------------------|---------------------------|
| ENDURACITYLINERNEOSL70WLED757PASYBOTG | 9405 | 7100.00 | 1 N |
| ENDURACITYLINERNEOMPSL80WLED757PASYBOTG | 9405 | 8100.00 | 1 N |
| Suitable for pole dia (9.54 mm (max) | | | |

Suitable for pole dia Ø 54 mm (max.)









ENDURA PEARL PLUS

New generation energy saving and environmental friendly long life LED street light made up of pressure die cast aluminium housing with high power LED as lighting source and lens embedded PC cover having TOP OPENING seperate driver compartment with IP66 protection and impact resistance of IK07 with 10KV Built-in Surge Protection Device.

| Item Description | HSN Code | List Price in ₹ Per Unit | Case Lot No. of unit/s |
|---|-------------|-----------------------------|---------------------------|
| ENDURAPEARLPLUSSL90WLED757PASYTOPCASTHO | 9405 | 9250.00 | 1 N |
| Suitable for pole dia Ø 54 mm (max.) | | | |

PEARL MAGNUM

New generation energy saving and environmental friendly long life LED street light made up of pressure die cast aluminium housing with high power LED as lighting source with toughened glass top cover. TOP OPENING seperate driver compartment with IP66 protection and impact resistance of IK07 with 10KV Built-in Surge Protection Device.

| Item Description | HSN Code | List Price in ₹ Per Unit | Case Lot No. of unit/s |
|---|-------------|-----------------------------|---------------------------|
| ENDURAPEARLMAGNUMSL100WLED757PASYTOTGAST | 9405 | 10500.00 | 1 N |
| ENDURAPEARLMAGSL120WLED757PASYTOTGASTHO | 9405 | 12990.00 | 1 N |
| Outtable for male alia (2.50 meno (menu)) | | | |

Suitable for pole dia Ø 58 mm (max.)

PEARL MAGNUM PLUS

New generation energy saving & environmental friendly long life Versatile pressure die-cast aluminium IP66 roadway luminaire with high power LED as light source.

| Item Description | HSN Code | List Price in ₹ Per Unit | Case Lot No. of unit/s |
|--|-------------|-----------------------------|---------------------------|
| ENDURAPEARLMAGPLUSSL135WLED757PASYTOTG | 9405 | 14000.00 | 1 N |
| ENDURAPEARLMAGPLUSSL150WLED757PASYTOTG | 9405 | 16200.00 | 1 N |
| Suitable for pole dia (7.60 mm (max) | | | |

Suitable for pole dia Ø 60 mm (max.)

PEARL GRAND

New generation energy saving & environmental friendly long life Versatile pressure die-cast aluminium IP66 roadway luminaire with high power LED as light source.

| Item Description | HSN Code | List Price in ₹ Per Unit | Case Lot No. of unit/s |
|--------------------------------------|-------------|-----------------------------|---------------------------|
| ENDURAPEARLGRANDSL170WLED757PASYTOTG | 9405 | 21900.00 | 1 N |
| ENDURAPEARLGRANDSL190WLED757PASYTOTG | 9405 | 22300.00 | 1 N |
| ENDURAPEARLGRANDSL200WLED757PASYTOTG | 9405 | 22700.00 | 1 N |
| Suitable for pole dia Ø 63 mm (max.) | | | |

PEARL GRAND PLUS

New generation energy saving & environmental friendly long life Versatile pressure die-cast aluminium IP66 roadway luminaire with high power LED as light source.

| Item Description | HSN Code | List Price in ₹ Per Unit | Case Lot No. of unit/s |
|--|-------------|-----------------------------|---------------------------|
| ENDURAPEARLGRANDPLUSSL250WLED757PASYTOTG | 9405 | 31500.00 | 1 N |
| Suitable for pole dia Ø 63 mm (max.) | | | |











CANOPY FIXTURE / FLOOD LIGHTS

FLARE NEO

Energy saving, environmental friendly, long life, exclusive innovative die-cast aluminium canopy fixture with high power LEDs as light source, suitable for lighting under canopy of fuel stations.

| Item | HSN | List Price in | Case Lot |
|----------------------------|------|---------------|---------------|
| Description | Code | ₹ Per Unit | No. of unit/s |
| FLARENEOCA80WLED757PSYMLTG | 9405 | 7900.00 | 1 N |



BAYBRITE FLARE

Energy saving, environmental friendly, long life, exclusive innovative die-cast aluminium canopy fixture with high power LEDs as light source, suitable for lighting under canopy of fuel stations.

| Item | HSN | List Price in | Case Lot |
|--------------------------------|------|---------------|---------------|
| Description | Code | ₹ Per Unit | No. of unit/s |
| BAYBRITEFLARE80WLED857PWBBOLTG | 9405 | 8500.00 | 1 N |

JETA QUANTO PLUS

Energy saving, environmental friendly, long life, exclusive innovative die-cast aluminium flood light with high power LEDs as light source, suitable for highlighting architectural features or Area Lighting. Also suitable to rough services/installations.

| Item Description | HSN Code | List Price in ₹ Per Unit | Case Lot No. of unit/s |
|-----------------------------------|-------------|-----------------------------|---------------------------|
| JETAQUANTOPLUSFLP30WLED757SYMLENS | 9405 | 3250.00 | 6 N |
| JETAQUANTOPLUSFLP50WLED757SYMLENS | 9405 | 4200.00 | 6 N |
| JETAQUANTOPLUSFLP60WLED757SYMLENS | 9405 | 4500.00 | 6 N |

JETA PRO 70

Energy saving, environmental friendly, long life, exclusive innovative die-cast aluminium IP66 flood light, suitable for highlighting architectural facade and general purpose lighting.

| Item | HSN | List Price in | Case Lot |
|-----------------------|------|---------------|---------------|
| Description | Code | ₹ Per Unit | No. of unit/s |
| JETAPROFL70WLED757LTG | 9405 | 7500.00 | 2 N |

JETA IRIS

Energy saving, environmental friendly, long life, exclusive innovative die-cast aluminium IP66 flood light, suitable for highlighting architectural facade and general purpose lighting.

| Item Description | HSN Code | List Price in ₹ Per Unit | Case Lot No. of unit/s |
|------------------------------|-------------|-----------------------------|---------------------------|
| JETAIRISFLS100WLED757SYMLTG | 9405 | 9990.00 | 1 N |
| JETAIRISFLS100WLED757APNBLTG | 9405 | 10500.00 | 1 N |
| JETAIRISFLS100WLED757APWBLTG | 9405 | 10500.00 | 1 N |
| JETAIRISFLS120WLED757SYMLTG | 9405 | 11000.00 | 1 N |
| JETAIRISFLS120WLED757APNBLTG | 9405 | 11500.00 | 1 N |
| JETAIRISFLS120WLED757APWBLTG | 9405 | 11500.00 | 1 N |
| JETAIRISFLS150WLED757PSYMLTG | 9405 | 14500.00 | 1 N |
| JETAIRISFLS160WLED757PNBLTG | 9405 | 15000.00 | 1 N |
| JETAIRISFLS160WLED757PWBLTG | 9405 | 15000.00 | 1 N |









JETA VALOUR INTEGRAL

Energy saving, environment friendly, long life, exclusive innovative die-cast aluminium flood light with highly efficient LEDs as light source, suitable for highlighting architectural features or retail spaces.

| Item Description | HSN Code | List Price in ₹ Per Unit | Case Lot No. of unit/s |
|---------------------------------|-------------|-----------------------------|---------------------------|
| JETAVALOURFL180WLED757PINTNBLTG | 9405 | 19500.00 | 1 N |
| JETAVALOURFL180WLED757PINTWBLTG | 9405 | 19500.00 | 1 N |
| JETAVALOURFL200WLED757PINTNBLTG | 9405 | 20500.00 | 1 N |
| JETAVALOURFL200WLED757PINTWBLTG | 9405 | 20500.00 | 1 N |



JETA VALOUR

Energy saving, environmental friendly, long life, exclusive innovative die-cast aluminium non integral IP66 flood light, suitable for high mast application, highlighting architectural facade and general purpose lighting.

| Item Description | HSN Code | List Price in ₹ Per Unit | Case Lot No. of unit/s |
|--|-------------|-----------------------------|---------------------------|
| JETAVALOURFL180WLED757MODNBLTG | 9405 | 10300.00 | 1 N |
| ASSEMBLEDCGBOXVALOUR180WAP | 9405 | 9000.00 | 1 N |
| JETAVALOURFL180WLED757MODWBLTG | 9405 | 10300.00 | 1 N |
| ASSEMBLEDCGBOXVALOUR180WAP | 9405 | 9000.00 | 1 N |
| JETAVALOURFL200WLED757MODNBLTG | 9405 | 11000.00 | 1 N |
| ASSEMBLEDCGBOXVALOUR200WAP | 9405 | 9000.00 | 1 N |
| JETAVALOURFL200WLED757MODWBLTG | 9405 | 11000.00 | 1 N |
| ASSEMBLEDCGBOXVALOUR200WAP | 9405 | 9000.00 | 1 N |
| JETAVALOURFL240WLED757MODWBLTG | 9405 | 12400.00 | 1 N |
| ASSEMBLEDCGBOXVALOUR240WAP | 9405 | 9600.00 | 1 N |
| JETAVALOURFL240WLED757MODNBLTG | 9405 | 12400.00 | 1 N |
| ASSEMBLEDCGBOXVALOUR240WAP | 9405 | 9600.00 | 1 N |
| JETAVALOURFL300WLED757MODNBLTG | 9405 | 16200.00 | 1 N |
| ASSEMBLEDCGBOXVALOUR300WAP | 9405 | 12500.00 | 1 N |
| JETAVALOURFL300WLED757MODWBLTG | 9405 | 16200.00 | 1 N |
| ASSEMBLEDCGBOXVALOUR300WAP | 9405 | 12500.00 | 1 N |
| JETAVALOURFL350W3MLED757MODNBLTG | 9405 | 20500.00 | 1 N |
| ASSEMBLEDCGBOXVALOUR350W3MAP | 9405 | 15500.00 | 1 N |
| JETAVALOURFL350W3MLED757MODWBLTG | 9405 | 20500.00 | 1 N |
| ASSEMBLEDCGBOXVALOUR350W3MAP | 9405 | 15500.00 | 1 N |
| JETAVALOURFL400WLED757MODNBLTG | 9405 | 21800.00 | 1 N |
| ASSEMBLEDCGBOXVALOUR400WP | 9405 | 17500.00 | 1 N |
| JETAVALOURFL400WLED757MODNBLTG | 9405 | 21800.00 | 1 N |
| ASSEMBLEDCGBOXVALOUR400WP | 9405 | 17500.00 | 1 N |
| L.SPARE 5C-CABLE 25M WITH IPCONNECTOR | 9405 | 4500.00 | 1 N |
| L.SPARE 5 C-CABLE 15M WITH IPCONNECTOR | 9405 | 2900.00 | 1 N |









LANDSCAPE LIGHTS

TYCOON (OPAL)

Design inspired from the classical Victorian era using new generation technology in LED to rejuvenate your outdoor areas with functionality during night and aesthetics during the day. IP65 die cast Aluminium Post top lantern designed with long life LED engine & Electronic Driver, designed for glare free symmetrical light distribution.

| Item Description | HSN Code | List Price in ₹ Per Unit | Case Lot No. of unit/s |
|-------------------------------|-------------|-----------------------------|---------------------------|
| TYCOONPT70WLED730PSYMTOPC | 9405 | 37400.00 | 1 N |
| TYCOONPT70WLED757PSYMTOPC | 9405 | 37400.00 | 1 N |
| Suitable for pole dia Ø 76 mm | | | |

BARON (OPAL)

Design inspired from the classical Victorian era using new generation technology in LED to rejuvenate your outdoor areas with functionality during night and aesthetics during the day. IP65 die cast Aluminium Post top lantern designed with long life LED engine & Electronic Driver, designed for glare free symmetrical light distribution.

| Item Description | HSN Code | List Price in ₹ Per Unit | Case Lot No. of unit/s |
|-------------------------------|-------------|-----------------------------|---------------------------|
| BARONPT70WLED730PSYMTOPC | 9405 | 35000.00 | 1 N |
| BARONPT70WLED757PSYMTOPC | 9405 | 35000.00 | 1 N |
| Suitable for pole dia Ø 76 mm | | | |

Suitable for pole dia Ø 76 mm

VICTORIA - IP65/IP66

Design from the renaissance era yet with a modern look using new generation technology in LED to enliven your outdoor areas in perfect synchronization with functionality and aesthetics. Family of post top lantern designed to complement the geometry of the area.

| Item Description | HSN Code | List Price in ₹ Per Unit | Case Lot No. of unit/s |
|---|-------------|-----------------------------|---------------------------|
| VICTORIAPT35WLED730PSYMTOTG | 9405 | 25300.00 | 1 N |
| VICTORIAPT35WLED757PSYMTOTG | 9405 | 25300.00 | 1 N |
| VICTORIAPT50WLED730PSYMTOTG | 9405 | 30100.00 | 1 N |
| VICTORIAPT50WLED757PSYMTOTG | 9405 | 30100.00 | 1 N |
| Suitable for pole dia \emptyset 76 mm | | | |

Suitable for pole dia Ø 76 mm

ENDURA SPRING 6

New generation, post-top, energy saving, environmental friendly, long life aesthetically designed with good indirect symmetrical light distribution, die-cast aluminium landscape IP65 luminaire with high power COB LED as light source.

| Item Description | HSN Code | List Price in ₹ Per Unit | Case Lot No. of unit/s |
|----------------------------------|-------------|-----------------------------|---------------------------|
| ENDURASPRING6PT35WLED740PSYMTOTG | 9405 | 19100.00 | 1 N |
| ENDURASPRING6PT35WLED757PSYMTOTG | 9405 | 19100.00 | 1 N |
| Suitable for pole dia Ø 76 mm | | | |

JUPITER IP65

Aesthetically designed LED post Top with aluminium enclosure, powered with high power LEDs as light source and die casted heat sink exhibits classic Victorian look with symmetrical light distribution and excellent heat dissipation for long life.

| Item Description | HSN Code | List Price in ₹ Per Unit | Case Lot No. of unit/s |
|--------------------------------|-------------|-----------------------------|---------------------------|
| JUPITERMAXIPT50WLED757PSYMTOPC | 9405 | 14100.00 | 1 N |
| JUPITERMAXIPT50WLED830PSYMTOPC | 9405 | 14900.00 | 1 N |
| JUPITERMAXIPT70WLED757PSYMTOPC | 9405 | 16100.00 | 1 N |
| JUPITERMAXIPT70WLED830PSYMTOPC | 9405 | 16900.00 | 1 N |
| Suitable for pole dia Ø 76 mm | | | |











RUBY (CLEAR) - IP65

New generation, post-top, energy saving, environmental friendly, long life aesthetically designed with symmetrical light distribution, spun aluminium landscape luminaire with high power LEDs as light source.

| Item Description | HSN Code | List Price in ₹ Per Unit | Case Lot No. of unit/s |
|--|----------------------|-----------------------------|---------------------------|
| RUBYMINIPT15WLED757PSYMTOPC | 9405 | 4700.00 | 1 N |
| RUBYMINIPT15WLED830PSYMTOPC | 9405 | 4950.00 | 1 N |
| RUBYPT25WLED757PSYMTOPC | 9405 | 8500.00 | 1 N |
| RUBYPT25WLED830SSYMTOPC | 9405 | 8800.00 | 1 N |
| RUBYPT35WLED757PSYMTOPC | 9405 | 9370.00 | 1 N |
| RUBYPT35WLED830PSYMTOPC | 9405 | 9750.00 | 1 N |
| RUBYMAXIPT50WLED757PSYMTOPC | 9405 | 12500.00 | 1 N |
| RUBYMAXIPT50WLED830PSYMTOPC | 9405 | 12900.00 | 1 N |
| RUBYMAXIPT70WLED757PSYMTOPC | 9405 | 14100.00 | 1 N |
| RUBYMAXIPT70WLED830PSYMTOPC | 9405 | 14900.00 | 1 N |
| Quitable for pole die Q EQ mm for 1E M. Quitable for pol | a dia (176 mm far 05 | | 1/70 \\/ |

e una di

Suitable for pole dia Ø 50 mm for 15 W, Suitable for pole dia Ø 76 mm for 25 W/35 W/50 W/70 W

CORAL (OPAL) - IP65

New generation, post-top, energy saving, environmental friendly, long life aesthetically designed with symmetrical light distribution, spun aluminium landscape luminaire with high power LEDs as light source.

| Item Description | HSN Code | List Price in ₹ Per Unit | Case Lot No. of unit/s |
|------------------------------|-------------|-----------------------------|---------------------------|
| CORALMINIPT15WLED757PSYMTOPC | 9405 | 4700.00 | 1 N |
| CORALMINIPT15WLED830PSYMTOPC | 9405 | 4950.00 | 1 N |
| CORALPT25WLED757PSYMTOPC | 9405 | 8500.00 | 1 N |
| CORALPT25WLED830SSYMTOPC | 9405 | 8800.00 | 1 N |
| CORALPT35WLED757PSYMTOPC | 9405 | 9370.00 | 1 N |
| CORALPT35WLED830PSYMTOPC | 9405 | 9750.00 | 1 N |
| CORALMAXIPT50WLED757PSYMTOPC | 9405 | 12500.00 | 1 N |
| CORALMAXIPT50WLED830PSYMTOPC | 9405 | 12900.00 | 1 N |
| CORALMAXIPT70WLED757PSYMTOPC | 9405 | 14100.00 | 1 N |
| CORALMAXIPT70WLED830PSYMTOPC | 9405 | 14900.00 | 1 N |
| | | | |



Suitable for pole dia Ø 50 mm for 15 W, Suitable for pole dia Ø 76 mm for 25 W/35 W/50 W/70 W

EROS IP65

Aesthetically designed LED post Top with aluminium enclosure, powered with high power LEDs as light source and die casted heat sink exhibiting classic Victorian look with symmetrical light distribution, suspended mounting arrangement and excellent heat dissipation for long life.

| Item Description | HSN Code | List Price in ₹ Per Unit | Case Lot No. of unit/s |
|-----------------------------|-------------|-----------------------------|---------------------------|
| EROSPT72WLED757PSYMTOPC | 9405 | 28500.00 | 1 N |
| EROSPT72WLED830PSYMTOPC | 9405 | 28500.00 | 1 N |
| EROSPT90WLED757PSYMTOPC | 9405 | 32500.00 | 1 N |
| EROSPT90WLED830PSYMTOPC | 9405 | 32500.00 | 1 N |
| EROSPT120WLED757PSYMTOPC | 9405 | 36500.00 | 1 N |
| EROSPT120WLED830PSYMTOPC | 9405 | 36500.00 | 1 N |
| For mounting info refer TDS | | | |



LANDSCAPE LIGHTS

CLIO

Environmental friendly, new generation, energy saving, decorative UP-down Luminaire with wall surface mounting using COB LED as light source.

| Item Description | HSN Code | List Price in ₹ Per Unit | Case Lot No. of unit/s |
|--------------------------|-------------|-----------------------------|---------------------------|
| CLIOWLS15WLED830PSYMTOTG | 9405 | 7250.00 | 4 N |
| CLIOWLS25WLED830PSYMTOTG | 9405 | 9100.00 | 4 N |

LYCUS

Environmental friendly, new generation, energy saving, decorative spike light using COB LED as light source.

| Item | HSN | List Price in | Case Lot |
|--------------------------|------|---------------|---------------|
| Description | Code | ₹ Per Unit | No. of unit/s |
| LYCUSSPS9WLED730PSYMBOTG | 9405 | 5500.00 | 4 N |





MUSHROOM - IP65

New generation, energy saving, environmental friendly, long life aesthetically designed die-cast aluminium landscape luminaire for downward lighting with high power LED as light source.

| Item Description | HSN Code | List Price in ₹ Per Unit | Case Lot No. of unit/s |
|-----------------------------|-------------|-----------------------------|---------------------------|
| MUSHROOMBL16WLED730SSYMTOPC | 9405 | 10700.00 | 1 N |
| MUSHROOMBL16WLED757SSYMTOPC | 9405 | 10700.00 | 1 N |



BAMBOO - IP65

New generation, energy saving, environmental friendly, long life aesthetically designed aluminium landscape luminaire for diffused lighting with high power LED as light source.

| Item Description | HSN Code | List Price in ₹ Per Unit | Case Lot No. of unit/s |
|-----------------------------------|-------------|-----------------------------|---------------------------|
| BAMBOOBLS8WLED830PSYMTOPC (0.6 M) | 9405 | 5200.00 | 4 N |
| BAMBOOBLS8WLED857PSYMTOPC (0.6 M) | 9405 | 5200.00 | 4 N |
| BAMBOOBL8WLED830PSYMTOPCM (1.0 M) | 9405 | 7000.00 | 4 N |
| BAMBOOBL8WLED857PSYMTOPCM (1.0 M) | 9405 | 7000.00 | 4 N |

CONE - IP65

Cone series acts as an imposing street furniture. The elegant yet minimalistic design acts a silent observer and giving light, diffuser at the upper portion adds functional value into landscape environment.

| Item Description | HSN Code | List Price in ₹ Per Unit | Case Lot No. of unit/s |
|----------------------------------|-------------|-----------------------------|---------------------------|
| CONEBLS8WLED830PSYMTOPC (0.6 M) | 9405 | 5300.00 | 4 N |
| CONEBLS8WLED857PSYMTOPC (0.6 M) | 9405 | 5300.00 | 4 N |
| CONEBLS8WLED830PSYMTOPCM (1.0 M) | 9405 | 7100.00 | 4 N |
| CONEBLS8WLED857PSYMTOPCM (1.0 M) | 9405 | 7100.00 | 4 N |





CONE NXG - IP65

Cone NXG series acts as an imposing street furniture with touch if aesthetic. Innovative design with uniformly lit diffuser at the upper portion acts a beacon of path guidance in a landscape environment.

| Item Description | HSN Code | List Price in ₹ Per Unit | Case Lot No. of unit/s |
|-------------------------------------|-------------|-----------------------------|---------------------------|
| CONENXGBLS8WLED830PSYMTOPC (0.6 M) | 9405 | 6500.00 | 4 N |
| CONENXGBLS8WLED857PSYMTOPC (0.6 M) | 9405 | 6500.00 | 4 N |
| CONENXGBLS8WLED830PSYMTOPCM (1.0 M) | 9405 | 8000.00 | 4 N |
| CONENXGBLS8WLED857PSYMTOPCM (1.0 M) | 9405 | 8000.00 | 4 N |

MOUNT - IP65

Sturdy LED Bollard with excellent light out put through its PMMA window ensuring maximum illumination aspect in surrounding.

| Item Description | HSN Code | List Price in ₹ Per Unit | Case Lot No. of unit/s |
|-------------------------------------|-------------|-----------------------------|---------------------------|
| MOUNTBL10WLED830PSYMTOPMMA (0.6 M) | 9405 | 6900.00 | 4 N |
| MOUNTBL10WLED857PSYMTOPMMA (0.6 M) | 9405 | 6900.00 | 4 N |
| MOUNTBL10WLED830PSYMTOPMMAM (1.0 M) | 9405 | 8100.00 | 4 N |
| MOUNTBL10WLED857PSYMTOPMMAM (1.0 M) | 9405 | 8100.00 | 4 N |

MINI MOUNT - IP65

Sturdy LED Bollard with excellent light out put through its sleek PMMA window ensuring maximum illumination aspect in surrounding.

| Item Description | HSN Code | List Price in ₹ Per Unit | Case Lot No. of unit/s |
|---|-------------|-----------------------------|---------------------------|
| MINIMOUNTBL10WLED830PSYMTOPMMAS (0.3 M) | 9405 | 5900.00 | 4 N |
| MINIMOUNTBL10WLED857PSYMTOPMMAS (0.3 M) | 9405 | 5900.00 | 4 N |
| MINIMOUNTBL10WLED830PSYMTOPMMA (0.6 M) | 9405 | 7100.00 | 4 N |
| MINIMOUNTBL10WLED857PSYMTOPMMA (0.6 M) | 9405 | 7100.00 | 4 N |
| MINIMOUNTBL10WLED830PSYMTOPMMAM (1.0 M) | 9405 | 8100.00 | 4 N |
| MINIMOUNTBL10WLED857PSYMTOPMMAM (1.0 M) | 9405 | 8100.00 | 4 N |

UFO - IP65

Contemporary UFO shape design bollard with minimum upward light component, ensuring excellent distribution and high system lumen efficacy.

| Item Description | HSN Code | List Price in ₹ Per Unit | Case Lot No. of unit/s |
|----------------------------------|-------------|-----------------------------|---------------------------|
| UFOBLS10WLED830PSYMTOPC (0.6 M) | 9405 | 6700.00 | 4 N |
| UFOBLS10WLED857PSYMTOPC (0.6 M) | 9405 | 6700.00 | 4 N |
| UFOBLS10WLED830PSYMTOPCM (1.0 M) | 9405 | 7900.00 | 4 N |
| UFOBLS10WLED857PSYMTOPCM (1.0 M) | 9405 | 7900.00 | 4 N |

RADIANT NEO - IP66

Environmental friendly, new generation, energy saving, decorative rectangular shaped wall recessed Luminaire with SMD LED as light source.

| Item | HSN | List Price in | Case Lot |
|--------------------------------|------|---------------|---------------|
| Description | Code | ₹ Per Unit | No. of unit/s |
| RADIANTNEOFT07WLED830SASYMBOPC | 9405 | 3000.00 | 16 N |











LANDSCAPE LIGHTS

ECO POLES

Aesthetically designed decorative hot dipped galvanised mild steel step pole with grey powder finish. Compatible for all Havells post top range. Window - Plasma cut & duly chamfered opening window of 300x110 mm for terminal connections & mounting accessories. Window cover is fitted with allen screws to the pole. Decorative sleek casting ring to increase aesthetical appeal.

| Item Description | HSN Code | List Price in ₹ Per Unit | Case Lot No. of unit/s |
|---------------------|-------------|-----------------------------|---------------------------|
| 3MECOPOLE | 7308 | 14900.00 | 1 N |
| 4MECOPOLE | 7308 | 18500.00 | 1 N |



POLES

Aesthetically designed decorative hot dipped galvanised mild steel step pole with grey powder finish. Compatible for all Havells post top range. Window - Plasma cut & duly chamfered opening window of 300x110 mm for terminal connections & mounting accessories. Window cover is fitted with allen screws to the pole.

| Item Description | HSN Code | List Price in ₹ Per Unit | Case Lot No. of unit/s |
|---------------------|-------------|-----------------------------|---------------------------|
| 3MPOLE | 7308 | 16300.00 | 1 N |
| 3.5MPOLE | 7308 | 18300.00 | 1 N |
| 4MPOLE | 7308 | 21700.00 | 1 N |
| 6MPOLE | 7308 | 30500.00 | 1 N |



STARK - POLE BASE COVER

Aesthetically designed decorative pole base cover, enhancing the appearance of the pole.

| Item Description | HSN Code | List Price in ₹ Per Unit | Case Lot No. of unit/s |
|----------------------------------|-------------|-----------------------------|---------------------------|
| STARK Decorative Pole Base Cover | 7308 | 4100.00 | 1 N |
| For mounting info refer TDS. | | | |





COLORSCAPE LIGHTS

SKILINE PLUS

High power color changing & monochromatic LED projector for super distance lighting with Intelligent logarithmic control technology.

| Item Description | HSN Code | List Price in ₹ Per Unit | Case Lot No. of unit/s |
|------------------------|-------------|-----------------------------|---------------------------|
| SKILINE PLUS 600 W DMX | 9405 | On Request | 1 N |
| SKILINE PLUS 600 W | 9405 | On Request | 1 N |
| SKILINE PLUS 500 W DMX | 9405 | On Request | 1 N |
| SKILINE PLUS 500 W | 9405 | On Request | 1 N |
| SKILINE PLUS 400 W DMX | 9405 | On Request | 1 N |
| SKILINE PLUS 400 W | 9405 | On Request | 1 N |
| SKILINE PLUS 300 W DMX | 9405 | On Request | 1 N |
| SKILINE PLUS 300 W | 9405 | On Request | 1 N |
| SKILINE PLUS 200 W DMX | 9405 | On Request | 1 N |
| SKILINE PLUS 200 W | 9405 | On Request | 1 N |



RANGER

Excellency steered color changing & monochromatic LED projector with unique design, delivering rich & saturated colors.

| Item Description | HSN Code | List Price in ₹ Per Unit | Case Lot No. of unit/s |
|---------------------|-------------|-----------------------------|---------------------------|
| RANGER 120 W DMX | 9405 | On Request | 1 N |
| RANGER 120 W | 9405 | On Request | 1 N |
| RANGER 70 W DMX | 9405 | On Request | 1 N |
| RANGER 70 W | 9405 | On Request | 1 N |
| RANGER 45 W DMX | 9405 | On Request | 1 N |
| RANGER 45 W | 9405 | On Request | 1 N |



COMPASS

High light intensity empowered color changing & monochromatic compact LED projector with polarized light design & intelligent logarithmic control technology.

| Item Description | HSN Code | List Price in ₹ Per Unit | Case Lot No. of unit/s |
|---------------------|-------------|-----------------------------|---------------------------|
| COMPASS 180 W DMX | 9405 | On Request | 1 N |
| COMPASS 180 W | 9405 | On Request | 1 N |
| COMPASS 150 W DMX | 9405 | On Request | 1 N |
| COMPASS 150 W | 9405 | On Request | 1 N |
| COMPASS 130 W DMX | 9405 | On Request | 1 N |
| COMPASS 130 W | 9405 | On Request | 1 N |
| COMPASS 85 W DMX | 9405 | On Request | 1 N |
| COMPASS 85 W | 9405 | On Request | 1 N |
| COMPASS 40 W DMX | 9405 | On Request | 4 N |
| COMPASS 40 W | 9405 | On Request | 4 N |
| COMPASS 28 W DMX | 9405 | On Request | 4 N |
| COMPASS 30 W | 9405 | On Request | 4 N |



Outdoor Luminaires

COLORSCAPE LIGHTS

MARINA

High light intensity empowered color changing & monochromatic LED under water fountain light with polarized light design & intelligent logarithmic control technology.

| Item Description | HSN Code | List Price in ₹ Per Unit | Case Lot No. of unit/s |
|---------------------|-------------|-----------------------------|---------------------------|
| MARINALUMO MINI | 9405 | On Request | 8 N |
| MARINALUMO MIDI | 9405 | On Request | 8 N |
| MARINALUMO MAXI | 9405 | On Request | 8 N |
| MARINASHINE MINI | 9405 | On Request | 8 N |
| MARINASHINE MIDI | 9405 | On Request | 8 N |
| MARINASHINE MAXI | 9405 | On Request | 8 N |
| | | | |



External driver to be ordered separately

LINEATE INT

Stylish & modern linear color changing & monochromatic wall grazer with multi angle lens design to meet the demands of various lighting design outlook.


| Item Description | HSN Code | List Price in ₹ Per Unit | Case Lot No. of unit/s |
|----------------------|-------------|-----------------------------|---------------------------|
| LINEATE INT 80 W DMX | 9405 | On Request | 3 N |
| LINEATE INT 80 W | 9405 | On Request | 3 N |
| LINEATE INT 60 W DMX | 9405 | On Request | 3 N |
| LINEATE INT 60 W | 9405 | On Request | 3 N |
| LINEATE INT 40 W DMX | 9405 | On Request | 3 N |
| LINEATE INT 40 W | 9405 | On Request | 3 N |
| 1 m Length. | | | |



LINEATE

Stylish & modern linear color changing & monochromatic wall grazer with multi angle lens design to meet the demands of various lighting design outlook.

| Item Description | HSN Code | List Price in ₹ Per Unit | Case Lot No. of unit/s |
|--|--------------|-----------------------------|---------------------------|
| LINEATE 40 W DMX | 9405 | On Request | 3 N |
| LINEATE 40 W | 9405 | On Request | 3 N |
| LINEATE 24 W DMX | 9405 | On Request | 3 N |
| LINEATE 24 W | 9405 | On Request | 3 N |
| LINEATE 12 W DMX | 9405 | On Request | 3 N |
| LINEATE 12 W | 9405 | On Request | 3 N |
| 1 m Length for 40 W, 24 W. 0.5 m Length for 12 W. External drive | er to be ord | ered separately | |



ENGROSS

Color changing & monochromatic buried uplighter ideal for uplighting facades, columns & features with multiple optics & extensive pallet of colors.

| Item Description | HSN Code | List Price in ₹ Per Unit | Case Lot No. of unit/s |
|---------------------|-------------|-----------------------------|---------------------------|
| ENGROSS 40 W DMX | 9405 | On Request | 1 N |
| ENGROSS 40 W | 9405 | On Request | 1 N |
| ENGROSS 28 W DMX | 9405 | On Request | 1 N |
| ENGROSS 30 W | 9405 | On Request | 1 N |
| ENGROSS 16 W DMX | 9405 | On Request | 1 N |
| ENGROSS 16 W | 9405 | On Request | 1 N |
| ENGROSS 13 W | 9405 | On Request | 1 N |



COLORSCAPE LIGHTS

ADORN

Monochromatic buried uplighter ideal for uplighting landscape, facades, columns & features with multiple optics & saturated tones of white.

| Item Description | HSN Code | List Price in ₹ Per Unit | Case Lot No. of unit/s |
|--|-------------|-----------------------------|---------------------------|
| ADORN 6 W | 9405 | On Request | 8 N |
| External driver to be ordered separately | | | |

ADORN MINI

Monochromatic buried uplighter ideal for uplighting landscape, facades, columns & features with multiple optics & saturated tones of white.

| Item Description | HSN Code | List Price in ₹ Per Unit | Case Lot No. of unit/s |
|--|-------------|-----------------------------|---------------------------|
| ADORN MINI 2 W | 9405 | On Request | 24 N |
| External driver to be ordered separately | | | |

FLEXISTRIP

IP 67 rated flexible LED strip to add great color & dramatic effects with extensive pallet of colors.

| Item Description | HSN Code | List Price in ₹ Per Unit | Case Lot No. of unit/s |
|---------------------|-------------|-----------------------------|---------------------------|
| FLEXISTRIP 36 W DMX | 9405 | On Request | 1 N |
| FLEXISTRIP 36 W | 9405 | On Request | 1 N |
| FLEXISTRIP 72 W DMX | 9405 | On Request | 1 N |
| FLEXISTRIP 72 W | 9405 | On Request | 1 N |

5 m Length. External driver to be ordered separately

DMX CONTROLLER

The Stand Alone DMX 512 controller can be used to control a wide variety of different DMX systems from RGB/RGBW to more advanced moving and color mixing luminaires, DMX audio players and fountains. The dual channel DMX 512 controller comes with a variety of features including RTC/calendar, Ethernet facilities, dry contact port triggering, multi-zone programming and SD memory card. The lighting levels, colors and effects can be programmed from a PC using the Havells DMX software.


| Item | HSN | List Price in | Case Lot |
|----------------|------|---------------|---------------|
| Description | Code | ₹ Per Unit | No. of unit/s |
| DMX Controller | 8537 | On Request | 1 N |

For Colorscape solution kindly consult our local branch representative as additional accessories like External Drivers, DMX Controllers, Amplifiers, IP rated Connectors, Address Writers, Channel profile etc. are to be ordered for dynamic effect lighting.









SOLAR STREET LIGHTS/MINI MAST

Solar LED Standalone Street Light Range - (2 Days Backup)

For Panel, Battery, Pole and SCC specification pls. contact branch office or refer Catalogue

Solar Standalone Street Light system mentioned below includes LED street Light with in-built SCC, SPV Panel, Battery, HDG Tubular Pole.

| Description | HSN Code | Luminaire Wattage (W) | System Voltage (V) | Lumen Im | MPPT/ PWM | Solar Panel Wp | Battery (LMLA/GEL) Ah | HDG Tubular Pole above ground | List Price (₹) for LMLA | List Price (₹) for GEL |
|----------------|-------------|--------------------------|-----------------------|-------------|--------------|-------------------|--------------------------|----------------------------------|----------------------------|---------------------------|
| 15 W Solar SLS | 8541 | 15 | 12 | 1500 | PWM | 75 | 40 | 5 m TUB Pole | 38100.00 | 38600.00 |
| 20 W Solar SLS | 8541 | 20 | 12 | 2100 | PWM | 100 | 60 | 5 m TUB Pole | 44200.00 | 47600.00 |
| 24 W Solar SLS | 8541 | 24 | 12 | 2400 | PWM | 125 | 60 | 5 m TUB Pole | 47900.00 | 51500.00 |
| 21 W Solar SLS | 8541 | 21 | 12 | 2205 | MPPT | 80 | 60 | 5 m TUB Pole | 44400.00 | 47900.00 |
| 24 W Solar SLS | 8541 | 24 | 12 | 2400 | MPPT | 100 | 60 | 5 m TUB Pole | 47400.00 | 51000.00 |
| 30 W Solar SLS | 8541 | 30 | 12 | 3150 | MPPT | 125 | 75 | 6 m TUB Pole (B) | 55000.00 | 58600.00 |
| 36 W Solar SLS | 8541 | 36 | 12 | 3780 | MPPT | 150 | 75 | 6 m TUB Pole (B) | 62000.00 | 65600.00 |
| 39 W Solar SLS | 8541 | 39 | 12 | 4095 | MPPT | 160 (80x2) | 100 | 6 m TUB Pole (B) | 66800.00 | 73200.00 |
| 45 W Solar SLS | 8541 | 45 | 24 | 4725 | MPPT | 200 (100x2) | 120 (60x2) | 6 m TUB Pole (B) | 82800.00 | 89900.00 |
| 60 W Solar SLS | 8541 | 60 | 24 | 6300 | MPPT | 250 (125x2) | 150 (75x2) | 7 m Oct | 116000.00 | 123300.00 |
| 70 W Solar SLS | 8541 | 70 | 24 | 7350 | MPPT | 300 (150x2) | 150 (75x2) | 7 m Oct | 129000.00 | 136300.00 |

* PWM - Pulse Width Modulation * MPPT - Maximum Power Point Tracking * (B) - Pole with base plate * LMLA - Low Maintanace Lead Acid Tubular * GEL - VRLA Solar Gel * Blue tooth & Hybrid Option avaiable from 7 W to 70 W. * Any change in the specification other than above mentioned specification for Solar PV module, Battery,Luminaire, Pole, Hybrid, Bluetooth etc will be charged extra. * Price : Ex Works Noida. *Taxes : Extra as applicable * Transportation :- Extra as appliacble * Warranty :- 1 year for complete system against manufacturing defect only, Additional warranty will be charged extra.

Solar LED Standalone Street Light Range - (3 Days Backup)

For Panel, Battery, Pole and SCC specification pls. contact branch office or refer Catalogue

Solar Standalone Street Light system mentioned below includes LED street Light with in-built SCC, SPV Panel, Battery, HDG Tubular Pole.

| Description | HSN Code | Luminaire Wattage (W) | System Voltage (V) | Lumen Im | MPPT/ PWM | Solar Panel Wp | Battery (LMLA/GEL) Ah | HDG Tubular Pole above ground | List Price (₹) for LMLA | List Price (₹) for GEL |
|----------------|-------------|--------------------------|-----------------------|-------------|--------------|-------------------|--------------------------|----------------------------------|----------------------------|---------------------------|
| 7 W Solar SLS | 8541 | 7 | 12 | 735 | PWM | 40 | 40 | 4 m TUB Pole | 29900.00 | 29500.00 |
| 12 W Solar SLS | 8541 | 12 | 12 | 1200 | PWM | 60 | 40 | 5 m TUB Pole | 35600.00 | 38300.00 |
| 15 W Solar SLS | 8541 | 15 | 12 | 1500 | PWM | 75 | 60 | 5 m TUB Pole | 41800.00 | 45400.00 |
| 20 W Solar SLS | 8541 | 20 | 12 | 2100 | PWM | 100 | 75 | 5 m TUB Pole | 46400.00 | 49900.00 |
| 24 W Solar SLS | 8541 | 24 | 12 | 2400 | PWM | 125 | 75 | 5 m TUB Pole | 50900.00 | 54700.00 |
| 21 W Solar SLS | 8541 | 21 | 12 | 2205 | MPPT | 80 | 75 | 5 m TUB Pole | 46700.00 | 50100.00 |
| 24 W Solar SLS | 8541 | 24 | 12 | 2400 | MPPT | 100 | 75 | 5 m TUB Pole | 50400.00 | 54200.00 |
| 30 W Solar SLS | 8541 | 30 | 12 | 3150 | MPPT | 125 | 100 | 6 m TUB Pole (B) | 58800.00 | 65000.00 |
| 36 W Solar SLS | 8541 | 36 | 12 | 3780 | MPPT | 150 | 120 | 6 m TUB Pole (B) | 67700.00 | 75600.00 |
| 39 W Solar SLS | 8541 | 39 | 12 | 4095 | MPPT | 160 (80x2) | 150 | 6 m TUB Pole (B) | 73300.00 | 81700.00 |
| 45 W Solar SLS | 8541 | 45 | 24 | 4725 | MPPT | 200 (100x2) | 150 (75x2) | 6 m TUB Pole (B) | 86900.00 | 96300.00 |
| 60 W Solar SLS | 8541 | 60 | 24 | 6300 | MPPT | 250 (125x2) | 200 (100x2) | 7 m Oct | 123600.00 | 136000.00 |
| 70 W Solar SLS | 8541 | 70 | 24 | 7350 | MPPT | 300 (150x2) | 240 (120x2) | 7 m Oct | 140300.00 | 156000.00 |

* PWM - Pulse Width Modulation * MPPT - Maximum Power Point Tracking * (B) - Pole with base plate * LMLA - Low Maintanace Lead Acid Tubular * GEL - VRLA Solar Gel * Blue tooth & Hybrid Option available from 7 W to 70 W. * Any change in the specification other than above mentioned specification for Solar PV module, Battery,Luminaire, Pole, Hybrid, Bluetooth etc will be charged extra. * Price : Ex Works Noida. *Taxes : Extra as applicable * Transportation :- Extra as appliacble * Warranty :- 1 year for complete system against manufacturing defect only, Additional warranty will be charged extra.

Solar Mini Mast

For Panel, Battery, Mast and SCC specification pls. contact branch office or refer Catalogue.

| Luminaire Type | HSN Code | Luminaire Wattage | System Voltage | Solar Panel Wp | Battery Ah | Solar Charge Controller | Metal Battery Box Powder Coated | Octagonal Pole HD Galvanized | List Price in ₹ Per Unit |
|-------------------|-------------|----------------------|-------------------|-------------------|---------------|----------------------------|------------------------------------|---------------------------------|-----------------------------|
| Street Light | 8541 | 4x30 W | 24 | 500 Wp | 400 Ah | MPPT | Mounting at 4 metre from ground | 9 m | 300000.00 |
| Flood Light | 8541 | 3x33 W | 24 | 400 Wp | 300 Ah | MPPT | Mounting at 4 metre from ground | 9 m | 272000.00 |
| Flood Light | 8541 | 4x33 W | 24 | 500 Wp | 400 Ah | MPPT | Mounting at 4 metre from ground | 9 m | 331500.00 |
| Flood Light | 8541 | 3x45 W | 24 | 500 Wp | 400 Ah | MPPT | Mounting at 4 metre from ground | 9 m | 334900.00 |

* Blue tooth & Hybrid Option avaiable. * Any change in the specification other than above mentioned specification for Solar PV module, Battery, Luminaire, Pole, Hybrid, Bluetooth etc will be charged extra. * Price : Ex Works Noida. *Taxes : Extra as applicable * Transportation :- Extra as appliable * Warranty :- 1 year for complete system against manufacturing defect only, Additional warranty will be charged extra. * Street Light - standard item. * Flood Light - project item. * Octagonal 4 mm thick. SOLAR STREET LIGHTS/MINI MAST

Li-Fe Solar Street Light System For Panel, Battery, Pole and SCC specification pls. contact branch office or refer Catalogue

Li-Fe Solar Street Light system mentioned below includes LED street Light with in-built SCC, SPV Panel, LiFeP04 Battery, HDG Tubular Pole.

| FG Code | HSN Code | System Voltage (V) | Luminaire Wattage (W) | Lumen/ watt (Im/W) | Solar Charge Controller | Solar PV Module (Wp) | Battery (Ah)-Lifep04 | Backup | Hot Dip Galvanized Tubular Pole above ground | List Price in ₹ Per Unit |
|-----------------|-------------|--------------------------|-----------------------------|--------------------------|-------------------------------|----------------------------|-------------------------|--------|--|-----------------------------|
| LHSTAKU7AAND007 | 8541 | 12 | 7 | >120 | MPPT | 40 Wp | 12.8 V 10 Ah | 2 days | 4 m TUB Pole | 37800.00 |
| LHSTAKU7AANI012 | 8541 | 12 | 12 | >120 | MPPT | 40 Wp | 12.8 V 20 Ah | 2 days | 5 m TUB Pole | 48300.00 |
| LHSTANU7AANI015 | 8541 | 12 | 15 | > 120 | MPPT | 50 Wp | 12.8 V 25 Ah | 2 days | 5 m TUB Pole | 53900.00 |
| LHSTARU7AANI020 | 8541 | 12 | 20 | >120 | MPPT | 75 Wp | 12.8 V 30 Ah | 2 days | 5 m TUB Pole | 61075.00 |
| LHSTARU7AANI024 | 8541 | 12 | 24 | >120 | MPPT | 80 Wp | 12.8 V 35 Ah | 2 days | 5 m TUB Pole | 66150.00 |
| LHSTAPU7AAAI030 | 8541 | 12 | 30 | > 120 | MPPT | 100 Wp | 12.8 V 45 Ah | 2 days | 5 m TUB Pole | 77875.00 |

* MPPT - Maximum Power Point Tracking * LiFePO4 - Lithium Ferro Phosphate Battery

* Blue tooth avaiable from 7 W to 30 W. * Any change in the specification other than above mentioned specification for Solar PV module, Battery, Luminaire, Pole, Bluetooth etc will be charged extra. * Price : Ex Works Noida. *Taxes : Extra as applicable * Transportation :- Extra as appliable * Warranty :- 2 years for complete system against manufacturing defect only, Additional warranty will be charged extra.

ALL-IN-ONE Solar Street Light For specification pls. contact branch office or refer Catalogue

ALL-IN-ONE Solar Street Light mentioned below includes LED Light, MPPT SCC, Mono Crystalline SPV Panel, LiFeP04 Battery Only.


| FG Code | HSN Code | System Voltage (V) | Luminaire Wattage (W) | Lumen/ watt | Solar Charge Controller | Mono Crystalline SPV Module (Wp) | Battery (Ah) - Lifep04 | Backup | List Price in ₹ Per Unit |
|-----------------|----------|-----------------------|--------------------------|----------------|----------------------------|-------------------------------------|---------------------------|--------|-----------------------------|
| LHSTAKU7CBAF007 | 8541 | 12 | 7 | >125 | MPPT | 20 Wp | 12.8 V 10.5 Ah | 2 days | 25700.00 |
| LHSTAKU7CBAF009 | 8541 | 12 | 9 | >125 | MPPT | 20 Wp | 12.8 V 10.5 Ah | 2 days | 27500.00 |
| LHSTAKU7CBAF012 | 8541 | 12 | 12 | >125 | MPPT | 30 Wp | 12.8 V 14 Ah | 2 days | 29500.00 |
| LHSTAKU7CBAF015 | 8541 | 12 | 15 | >125 | MPPT | 40 Wp | 12.8 V 18 Ah | 2 days | 35700.00 |
| LHSTAKU7CBAF018 | 8541 | 12 | 18 | >125 | MPPT | 40 Wp | 12.8 V 21 Ah | 2 days | 43000.00 |
| LHSTAKU7CBAF020 | 8541 | 12 | 20 | >125 | MPPT | 50 Wp | 12.8 V 24 Ah | 2 days | 45800.00 |
| LHSTAKU7CBAF024 | 8541 | 12 | 24 | >125 | MPPT | 60 Wp | 12.8 V 30 Ah | 2 days | 53100.00 |
| LHSTAKU7CBAF030 | 8541 | 12 | 30 | >125 | MPPT | 70 Wp | 12.8 V 36 Ah | 2 days | 62500.00 |

* MPPT - Maximum Power Point Tracking * LiFePO4 - Lithium Ferro Phosphate Battery

* Pole is not in Havells Scope. * Any change in the specification other than above mentioned specification for ALL-IN-ONE will be charged extra. * Price : Ex Works Noida.

*Taxes : Extra as applicable * Transportation :- Extra as appliacble * Warranty :- 2 years for complete system agaisnt manufacturing defect only, Additional warranty will be charged extra.





GENERAL CONDITIONS OF BUSINESS

- Prices are in Indian ₹ (Inclusive of GST)
- All prices are subject to Havells general terms & conditions of business.
- Warranty void for LED fixtures including drivers, if individual points of installations are not provided with proper earthing.
- Orders should be placed in case lot multiples & against the confirmed purchase order only.
- Continuous design improvement is a routine practice at Havells. Data provided may change without any prior intimation. Customers are advised to reconfirm the data or product dimensions before purchase with our local offices.
- This Price List supersedes all our previous Price Lists.
- Prices are subject to change without notice.
- Company reserves the right to issue amendments, which may arise due to any errors in the price list.

| HSN Code | Products Included | GST Applicable | | |
|----------|-------------------------------------|----------------|--|--|
| 9405 | LED Fixtures and LED Drivers | 12% | | |
| 9405* | Conventional Fixtures | 18% | | |
| 8504 | Ballast (Electronic, HID)/ Ignitors | 18% | | |
| 8543 | Solar Street Lights/Mini Mast | 5% | | |
| 7308 | Galvanized products | 18% | | |
| 8504* | Rest | 18% | | |
| 8539 | Non-LED Lamps | 18% | | |

Although every effort has been made to ensure accuracy in the compilation of the technical detail within this publication, however current details should therefore be checked with Havells. Specifications and performance data are constantly changing. Copyright Subsists. Imitation of trade dress, graphics and color scheme of this document is a punishable offence.

REGIONAL & BRANCH OFFICES:

NORTH - REGIONAL OFFICE: Corporate Office: QRG Towers, 2D, Sector-126, Expressway, Noida-201304, Tel: 0120-3331000, Delhi: Tel: 011-47676700, 23888200, Chandigarh: Tel: 0172-4232400-401, Dehradun: Tel: 0135-6670202, Noida / Haryana: Tel: 0120-3331000, Ludhiana: Tel: 0161-4676000 / 24, Jammu: Tel: 0191-2478330, 2479330, Sri Nagar: Tel: 0194-2490431, Jaipur: Tel: 0141-3914645, 3988210 Jodhpur: Tel: 0291-9214201640 / 45, Lucknow: Tel: 0522-6672100, Kanpur: Tel: 0512-6710400, 6710409

EAST - REGIONAL OFFICE: Kolkata: ICC Tower, 5th Floor, 4 India Exchange Place, Kolkata-70001, Tel: 033-40129851/52, Bhubaneshwar: Tel: 0674-6668101/102/103/104, Guwahati: Tel: 0361-2134521, 2458923, 2460355, Siliguri: Tel: 0353-2525907, Ranchi: 0651-2244861, 2244862, 2244864, 2244868, 2244869, Jamshedpur: Tel: 0657-6542492, 09234369436, Patna: Tel: 0612-2207221, 2207222, 2207223, 2655518

WEST - REGIONAL OFFICE: Mumbai: 1271, Solitaire Corporate Park, Bldg. No. 12, 7th Floor, Andheri - Ghatkopar Link Road, Chakala, Andheri (East), Mumbai- 400093. Ph.: 022 - 67298600-602, Ahmedabad: Tel: 079-40061111, 40060738-740, Indore: Tel: 0731-2572340-41, 4009998 (Airtel), Rajkot: Tel: 0281-2481112, 2921212, Nagpur: Tel: 0712-2240932, 2242692, 2242699 Pune: Tel: 020-64016413 / 14, Raipur: Tel: 0771-4243400 / 01, Surat: Tel: 0261-2350137, 9979890137, Jabalpur: Tel: 0761-4064491

SOUTH - REGIONAL OFFICE: Chennai: Sigapi Achi Building, No. 18 / 3, 6th Floor, Rukmani Lakshmipathy Road, Egmore, Chennai-600008, Tel: 044-42280600, 605, Bangalore: Tel: 080-49075000, Coimbatore: Tel: 0422-4550200, 2305199, 2306199, Hyderabad: Tel: 040-27533372, 27533355, 27533632, 66320407/0408/6401/6402, Kochi: Tel: 0484-4099000, Vizag: Tel: 0891-6514339, Vijayawada: Tel: +91-9247058847/57, Calicut: 0495-4019194, Madurai: 0452-4267022, Trivandrum: 0471-4015323, Hubli: 09448146028, Trichy: 09944460160

Representative Offices: • Goa • Solapur • Gwalior • Kathmandu • Bhopal



Havells India Ltd.

QRG Towers, 2D, Sector -126, Expressway, Noida - 201 304 (UP), Ph. +91-120-3331000, E-mail: marketing@havells.com, www.havells.com Consumer Care No.: 1800 11 0303, 1800 103 1313 (All Connections), 011-4166 0303 (Landline) Join us on Facebook at www.facebook.com/havells and share your ways to save the planet!

CIN - L31900DL1983PLC016304.

